


marset

Working Catalogue



08 Ambrosia



12 Atlas



21 Bohemia



31 Cluster



41 Dipping Light




46 Discocó



52 Djembé



70 Ginger



94 Ihana



100 Jaima



116 Mercer



119 Milana



124 MVV



127 Piola



134 Pleat Box



143 Santorini



151 Scotch Club



155 Soho



162 Tam Tam



172 Vetra



175 Zenc

Floor



26 Cala



34 Copérnica



65 Funiculí



66 Funiculí Fabric



90 Ginger



93 Highline



103 Jaima



140 Polo



188 Scantling



208 Tam Tam



168 Theia



173 Vetra

Table



24 Bolita



34 Copérnica



37 Dipping Light



67 Funiculí



68 Funiculí Fabric



74 Ginger



115 Mercer



140 Polo



150 Scantling



168 Theia

Portable



19 Bicoca



28 Chispa



37 Dipping Light



62 FollowMe



74 LED-Ginger

Wall



12 Atlas



14 Aura



40 Dipping Light



49 Discocó



66 Funiculí



67 Funiculí Fabric



78 LED-Ginger



110 Ledtube

Wall



114 Manhattan



117 Mercer



126 N°8



129 Plaff-on!



142 Roc



150 Scantling



153 Scotch Club



166 Tam Tam

Ceiling



12 Atlas



49 Discocó



56 Djembé



78 LED-Ginger



118 Mercer



129 Plaff-on!



153 Scotch Club



157 Soho



16 Babila



27 Cala



86 LED-Ginger



102 Jaima



106 Lab



132 Plaff-on!



142 Roc



143 Santorini



158 Soho



170 TXL



Ambrosia, Ciszak Dalmas

The starting point for the Ambrosia was to revive the traditional Linestra-style lamp – to update it and show that a technical and resolute design can also be poetic.

Inspired by the Linestra's original "line of light," Ciszak Dalmas have created a modular system that can be adapted to fit any space.



Discover more at marset.com

Ambrosia 120

Code	Finish	CCT
A704-101-15-22K	● Matt Gold	22K
A704-101-15-27K	● Matt Gold	27K
A704-101-15-30K	● Matt Gold	30K
A704-101-16-22K	● Black	22K
A704-101-16-27K	● Black	27K
A704-101-16-30K	● Black	30K

Materials: Aluminum
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: See power options supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 19.2W 2200K CRI80 2116lm
 Luminaire Ambrosia 22K: (Power supply not included) 1885lm

Light source Ambrosia 27K: LED SMD 24Vdc 19.2W 2700K CRI90 2028lm
 Luminaire Ambrosia 27K: (Power supply not included) 1891lm

Light source Ambrosia 30K: LED SMD 24Vdc 19.2W 3000K CRI90 2256lm
 Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 5.3 lb – Gross 6.6 lb


Package: 11.4 x 3.9 x 53.1" – 4.4 lb – Vol - 1.4 ft³

3.1 x 3.1 x 50.4" – 2.2 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 10.8 ft wire.

LED included




Dimmable

Under approval process. For latest certification status check the spec sheet.

(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 180

Code	Finish	CCT
A704-102-15-22K	● Matt Gold	22K
A704-102-15-27K	● Matt Gold	27K
A704-102-15-30K	● Matt Gold	30K
A704-102-16-22K	● Black	22K
A704-102-16-27K	● Black	27K
A704-102-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: See power options supply on pg 11.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: Net 6.8 lb – Gross 7.9 lb
 Package: 11.4 x 3.9 x 53.2" - 4.4 lb – Vol - 1.4 ft³
 3.1 x 3.1 x 74" - 3.5 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.
 Canopy not included. Supplied with 9.8 ft wire.



(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-103-15-22K	● Matt Gold	22K
A704-103-15-27K	● Matt Gold	27K
A704-103-15-30K	● Matt Gold	30K
A704-103-16-22K	● Black	22K
A704-103-16-27K	● Black	27K
A704-103-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: See power options supply on pg 11.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm



Weight: Net 6.8 lb – Gross 7.9 lb
 Package: 11.4 x 3.9 x 53.1" - 4.4 lb – Vol - 1.4 ft³
 3.1 x 3.1 x 26.7" - 1.3 lb – Vol - 0,14 ft³
 3.1 x 3.1 x 50.4" - 2.2 lb – Vol - 0,35 ft³

Product notes: 24V remote power supply to be ordered separately.
 Canopy not included. Supplied with 12.8 ft wire.



(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units per each side.) They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 315

Code	Finish	CCT
A704-104-15-22K	● Matt Gold	22K
A704-104-15-27K	● Matt Gold	27K
A704-104-15-30K	● Matt Gold	30K
A704-104-16-22K	● Black	22K
A704-104-16-27K	● Black	27K
A704-104-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: See power options supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI80 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4563lm
 Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5076lm
 Luminaire Ambrosia 30K: (Power supply not included) 4314lm

Weight: Net 11.2 lb – Gross 12.9 lb


Package: 11.4 x 3.9 x 88.6" - 7.7 lb - Vol - 2.3 ft³

3.1 x 3.1 x 38.5" - 1.7 lb - Vol - 0.2 ft³

3.1 x 3.1 x 74" - 3.5 lb - Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.
 Canopy not included. Supplied with 12.1 ft wire.

LED included



(1) The height can be increased by means of the 15.7 or 23.6" (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 315 + 2 Pole 60



Height extension pole 16

Code	Finish
A704-005-15	● Matt Gold
A704-005-16	● Black

Materials
 Structure: Metal

Product type: Accessory



Height extension pole 24

Code	Finish
A704-006-15	● Matt Gold
A704-006-16	● Black

Materials
 Structure: Metal

Product type: Accessory



Canopy Ambrosia 60W / 0-10V

Code
 A666-213-15
 A666-213-16

Finish
 ● Matt Gold
 ● Black



Materials
 Structure: Metal

Product type: Ceiling

Luminaire: 120 - 277 VAC 0-10V

Product notes:
 One canopy can feed one or two fixtures.
 (For more info check the spec sheet.)

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V



Outlox Box Cover Plate

Code
 A666-219-15
 A666-219-16



Finish
 ● Matt Gold
 ● Black

Code
 968-230

Description
 Power supply 60W - 24V

Product type: Ceiling
 120 - 277 VAC 0-10V
 Product notes: The installation and location of the remote LED driver must be in accordance with the specific regulations of each country and will be the exclusive responsibility of the installation company.

Materials
 Structure: Metal





Atlas

Code A34-010 Finish
○ Translucent



Materials

Shade: Polycarbonate
Canopy: White Polyamide
Structure: Stainless steel


Product type: Wall / Ceiling

Light source: E26 LED PAR30S 13W 36° 2700K

Weight: Net 0.7 lb – Gross 1.2 lb

Package: 7 x 8.3 x 9.5" - 1.2 lb – Vol - 0.28 ft³

Lamping not included



Wire installation: Hardwired
Canopy color: White
Cord color: Transparent




Aura

Code	Finish	
A676-008	○ Transparent	↗
A676-009	● Opal	
A676-010	● Smoked	↗
A676-012	● Copper	

Materials Dimmable: No
 Shade: Blown Glass
 Structure: Polycarbonate
 Dissipater: Aluminum

Product type: Wall
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 90 - 264 VAC 8.7W 448lm
 Weight: Net 1.1 lb - Gross 2.2 lb
 Package: 10.2 x 10.2 x 7.8" - 2.2 lb - Vol - 0.56 ft³
 Product notes: Suitable for damp locations
 Not suitable for ceiling mount
 LED included



Wire installation: Hardwired



Aura Plus

Code	Finish
A676-019	○ Translucent
A676-020	● Opal
A676-021	● Smoked
A676-022	● Copper



Materials

Shade: Blown Glass

Structure: Polycarbonate

Dissipater: Aluminum

Dimmable: No

Product type: Wall / Ceiling

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm


Luminaire: 90 - 264 VAC 8.7W 470lm

Weight: Net 1.96 lb – Gross 2.64 lb

Package: 13 x 13 x 8.6" - 2.64 lb – Vol - 0.74 ft³

Product notes: Suitable for damp locations

LED included



Wire installation: Hardwired


Spare parts

Code	Product	Finish	Spare part
A676-105	Aura	Transparent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Smoked	Glass
A676-103	Aura	Copper	Glass
A676-111	Aura Plus	Transparent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Smoked	Glass
A676-109	Aura Plus	Copper	Glass

Babila, Marco Zanuso Jr.

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This new outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is

not designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.



Babila 18


Code	Finish
A706-005	● Polished stainless steel
A706-006-35	● White (RAL 9010)
A706-006-47	● Brown (RAL 8019)

Materials
Diffuser: Polished stainless steel
AISI 316 or lacquered aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)

Available upon request:
on/off
0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 89lm
Weight: Net 1.8 lb – Gross 2.6 lb
Package: 11.4 x 12 x 4.9" – 2.6 lb – Vol - 0.35 ft³
LED included




Dimmable

ADA

Suitable for
wet locations



Wire installation: Hardwired



Babila 28

Code

A706-007
A706-008-35
A706-008-47

Finish

● Polished stainless steel
● White (RAL 9010)
● Brown (RAL 8019)

Materials

Diffuser: Polished stainless steel
AISI 316 or lacquered aluminum

Dimmable: Yes

Integrated dimmer: No
Dimming protocols:
Phase cut (Triac)

Available upon request:
on/off
0-10V (120-277V)

Product type: Wall / Ceiling


Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 120 VAC TRIAC 8.7W 185lm


Weight: Net 3 lb – Gross 4.6 lb

Package: 15.4 x 15.7 x 4.9 " - 4.6 lb VOL - 0.7 ft³

LED included



Wire installation: Hardwired





The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This new colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Two accessories increase the applicability and versatility of the lamp.



Discover more at marset.com

DESIGN PLUS
powered by: light+building


Bicoca

Code	Finish	
A680-055	● Off-white (RAL 9001)	→
A680-056	● Anthracite (RAL 7026)	→
A680-057	● Red wine (RAL 3005)	→
A680-058	● Yellow (RAL 1032)	→
A680-059	● Light blue (PANTONE 7542C)	→
A680-060	● Pale pink (PANTONE 5015C)	→

Materials
Shade: Polycarbonate
Body: Polycarbonate
Diffuser: Opal polycarbonate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 398lm
Luminaire: in 5 Vdc 1.5A 241lm
Weight: Net 1.01 lb – Gross 2.2 lb
Package: Ø6.29 x 11.81" – 2.2 lb Vol – 0.21 ft³ (1U)
20 x 11.8 x 13.4" – 15 lb Vol – 1.8 ft³ (6U)
Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time
5 hours in peak power
10 hours in half power
20 hours in a quarter power




Magnet accessory

Code A680-008 Finish ● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³




Armrest accessory + magnet

Code A680-007 Finish ● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 2 lb – Gross 2.2 lb
Package: 6.3 x 5.5 x 3.5 " - 2.2 lb – Vol - 0.07 ft³



Spare parts

Code	Product
R680-014	Bicoca
R968-002-USA	Bicoca
R961-057	Bicoca

Spare part
Battery
Black power adapter
Usb type C cable black

At first glance, the Bohemia appears to be made of blown glass. However, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two volumes into

a single shape. The design allows for a large shade in different colors with a white interior for pristine reflection.



Discover more at marset.com




Bohemia 84

Code	Finish	
A698-010	● Green	
A698-011	● Violet	
A698-012	● Amber	

Materials: Shade: Rotomoulded Polycarbonate
 Diffuser: Opal methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: 120 VAC TRIAC 26W 1619lm
 120 - 277 VAC 0-10V 26W 1619lm
 Weight: Net 28 lb – Gross 44 lb
 Package: 37 x 37 x 20 " – 44 lb Vol – 17.6 ft³
 LED included



Cable length: 8.2 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Bohemia 84 E26

Code	Finish	
A698-016	● Green	
A698-017	● Violet	
A698-018	● Amber	

Materials

Shade: Rotomoulded Polycarbonate


Product type: Pendant

Light source: E26 LED GLOBE 20W

Weight: Net 28 lb – Gross 39 lb

Package: 37 x 37 x 20 " – 39 lb Vol – 17.6 ft³

Lamping not included




Cable length: 8.2 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black





Bolita, kaschkasch

A technologically innovative design that brings back the sense of touch. Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect. Bolita seeks out that user interaction.

The idea of Florian and Sebastian at the kaschkasch studio was to design a lamp in which the dimming process was mechanical and not electronic.



Discover more at marset.com

Bolita


Code
A695-007
A695-008

Finish
○ White (RAL 9011)
● Umbra grey (RAL 7022)

Materials
Base: Steel
Diffuser: Opal blown glass

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Analog, dimmed via glass movement.

Product type: Table
Light Source: LED SMD 24Vdc 6.5W 2700K CRI90 579lm
Luminaire: 120 VAC 8.7W 157lm
Weight: Net 0.9 lb – Gross 3.3 lb
Package: 9 x 7 x 5 " – 3.3 lb Vol – 0.18 ft³ (1u)
15 x 16.7 x 17.7 " – 11 lb Vol – 1 ft³ (4u)
Product note: Sold in multiples of 4.
LED included



Cable length: 4.9 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Base



Spare parts

Code
R695-001

Product
Bolita

Finish
-

Spare part
Glass



Cala, Joan Gaspar

The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

With a structure made of oak or black lacquered metal, the Cala is an iconic Marset design defined by that most valuable of pairings: form and function.




Cala P165

Code A645-020 Finish ● Oak - Pearl White

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Varnished Oak

Product type: Floor
Light source: 3x E26 LED TYPE A 11W
Weight: Net 11 lb – Gross 22.7 lb
Package: 27.2 x 27.2 x 14.5" - 11.7 lb – Vol - 6.4 ft³
19.7 x 5 x 61" - 11 lb – Vol - 3.5 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Cala Metal P145

Code A645-060-39 Finish ● Black

Materials
Shade: White polyester PET, textile
Diffuser: Methacrylate
Structure: Iron

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 12.8 lb – Gross 20.5 lb
Package: 23.6 x 23.6 x 11.8 " - 9.9 lb – Vol - 3.8 ft³
19.7 x 5 x 52 " - 12 lb – Vol - 3.18 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Cala 140 IP65

Code A645-014 Finish ● Iroko - Brown

Materials
Shade: Polyethylene, Textile
Structure: Iroko wood

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 23.6 lb – Gross 24.6 lb
Package: 22 x 22 x 11.4 " - 11.4 lb – Vol - 3.2 ft³
18.5 x 4.7 x 49.6 " - 13.2 lb – Vol - 2.5 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built in the shade



Its design evokes a high-quality garage lamp, lightweight and useful, with three dimming levels. It's sophisticated and warm, decidedly designed to accompany.

Its structure is protected by a grid that revolves around the light source, an original touch. A built-in hook in the base allows it to be hung via the included cord.



Discover more at masset.com


Chispa

Code	Finish	
A703-001	● Black (RAL 9004)	➤
A703-002	● Blue (RAL DESIGN 230 20 20)	➤
A703-003	● Green (RAL 6009)	➤
A703-004	● Orange (RAL 2010)	➤

Materials
 Base: Polycarbonate
 Diffuser: Opal Polyethylene
 Accessory: Rope cord with metal hook

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table / Portable
 Light source: LED SMD 0.7A 2.7W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1.5A 110lm
 Weight: Net 1.1 lb – Gross 1.7 lb
 Package: 5.5 x 5.5 x 11" – 1.7 lb Vol – 0.17 ft³ (1u)
 11.8 x 11.8 x 9.4" – 7 lb Vol – 0.7 ft³ (4u)
 Product notes: Sold in multiples of 4.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.



Switch location: Body
 Charging time 10 h

Battery life time
 7 hours in peak power
 14 hours in half power
 28 hours in a quarter power

Spare parts

Code	Product
R703-001	Chispa
R968-002-USA	Chispa
R961-057	Chispa

Spare part
Battery
Black power adapter
Usb type C cable black





Cluster, Accessory

For use with our 24V pendant fixtures: Dipping Light 24V and Ginger 20 24V. For cluster canopy installation, take into account the canopy's max wattage and number of wire entry points. The total wattage of the selected pendants cannot exceed the

max wattage of the canopy, and the number of pendants cannot exceed the number of wire entry points of the canopy.




Circular Canopy 20W

Code A693-013 Finish ● Black

Materials
Structure: Painted iron

Dimmable: No

Product type: Accessory
Luminaire: 120 - 277 VAC 24W (max.)
Weight: Net 1.7 lb – Gross 2.2 lb
Package: 9 x 8.3 x 3.5" - 2.2 lb – Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Circular Canopy 50W


Code A693-015 Finish ● Black

Dimming
0-10V

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming Protocols: 0-10V (120-277V)

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 3.08 lb
Package: 9 x 8.2 x 3.5" - 3.08 lb – Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Rectangular Canopy 50W

Code A693-017 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 4.6 lb – Gross 5.5 lb
Package: 16.3 x 8.3 x 2.8" - 5.5 lb – Vol - 0.25 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 50W

Code A693-019 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 5.5 lb
Package: 16 x 15.7 x 3" - 5.5 lb – Vol - 0.38 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 100W

Code A693-021 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 114W (max.)
Weight: Net 7.2 lb – Gross 8.3 lb
Package: 16.5 x 15.7 x 3" - 8.3 lb – Vol - 0.35 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 19

Hook Accessory

Code A693-007 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.5 x 0.5 x 1.7" - 0.02 lb – Vol - 0.035 ft³
Product notes: This accessory is included when purchasing the 24V pendants.





The Copernica collection consists of desktop and floor lamps that use counterweights of mixed materials and density, such as steel and aluminum, allowing one to move the lamp with great precision and providing a wide range of heights,

distances, and adjustments to suit one's taste. The Copernica draws minimalist structures in space, as if it were a canvas, and the carefully selected color schemes add soft chromatic touches to the ensemble.



Discover more at marset.com




Copérnica M

- | | |
|----------|-------------------------------|
| Code | Finish |
| A686-046 | ● Graphite-Golden-Black |
| A686-047 | ● Graphite-Satin Nickel-Black |
| A686-048 | ● Graphite-Red-Black |

Materials	Dimmable: Yes
Structure: Satin nickel or graphite	Integrated dimmer: Yes
Base: Steel	Dimming protocols: 3 positions dimmer
Counterweight: Steel	
Diffuser: Aluminum	

Product type: Table
 Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 7W 416lm
 Weight: Net 7.7 lb – Gross 13.4 lb
 Package: 44.4 x 9.8 x 6.7" – 6.83 lb Vol – 1.68 ft³
 14.2 x 14.2 x 1.18" – 6.6 lb Vol – 0.14 ft³
 LED included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: Underside of shade.




Copérnica P

Code	Finish
A686-052	● Graphite-Golden-Black
A686-053	● Graphite-Satin Nickel-Black
A686-054	● Graphite-Red-Black

Materials	Dimmable: Yes
Structure: Satin nickel or graphite	Integrated dimmer: Yes
Base: Steel	Dimming protocols: 3 positions dimmer
Counterweight: Steel	
Diffuser: Aluminum	

Product type: Floor
 Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 7W 416lm
 Weight: Net 8.8 lb – Gross 15 lb
 Package: 64.6 x 9.8 x 6.7" – 9 lb Vol – 2.3 ft³
 14 x 14 x 1.2" – 6 lb Vol – 0.14 ft³

LED included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: Underside of shade.




Copérnica P190

Code	Finish
A686-056	● Graphite-Black

Materials	Dimmable: Yes
Structure: Satin nickel or graphite	Integrated dimmer: Yes
Base: Steel	Dimming protocols: Progressive dimmer from 0 to 100
Diffuser: Aluminum	

Product type: Floor
 Light Source: LED SMD 1050mA 40W 2700K CRI90 5108lm
 Luminaire: 220 - 240 VAC 29W 2302lm
 Weight: Net 16.8 lb – Gross 29.5 lb
 Package: 80 x 10.2 x 13" – 9.7 lb Vol – 6.14 ft³
 14 x 14 x 1.18" – 19.8 lb Vol – 0.14 ft³

LED included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line






Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and an

eye-catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.



Discover more at marset.com




Dipping Light

Code	Finish	
A691-013	White - Brushed Brass	➤
A691-300	White - Graphite	➤
A691-014	Blue - Brushed Brass	➤
A691-301	Blue - Graphite	➤
A691-015	Green - Brushed Brass	➤
A691-302	Green - Graphite	➤
A691-016	Amber - Brushed Brass	➤
A691-303	Amber - Graphite	➤
A691-017	Pink - Brushed Brass	➤
A691-304	Pink - Graphite	➤

Materials Dimmable: No
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Product type: Table
 Light Source: LED SMD 700mA 2.2W 2700K CRI80 243lm
 Luminaire: 120 - 277 VAC 4W 123lm
 Weight: Net 2.6 lb – Gross 4 lb
 Package: 13.7 x 13.7 x 7" – 4 lb Vol – 0.38 ft³



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line


Dipping Light S

Code	Finish
A691-306	White - Brushed Brass
A691-307	White - Graphite
A691-308	Blue - Brushed Brass
A691-309	Blue - Graphite
A691-310	Green - Brushed Brass
A691-311	Green - Graphite
A691-312	Amber - Brushed Brass
A691-313	Amber - Graphite
A691-314	Pink - Brushed Brass
A691-315	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11W
 Weight: Net 3 lb – Gross 5.5 lb
 Package: 6.7 x 13 x 6.7" – 3 lb Vol – 0.3 ft³
 9.8 x 9.8 x 12.2" – 2.4 lb Vol – 0.7 ft³
 LED included



Cable length: 5.75 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Dipping Light M

Code	Finish
A691-019	White - Brushed Brass
A691-318	White - Graphite
A691-020	Blue - Brushed Brass
A691-319	Blue - Graphite
A691-021	Green - Brushed Brass
A691-320	Green - Graphite
A691-022	Amber - Brushed Brass
A691-321	Amber - Graphite
A691-023	Pink - Brushed Brass
A691-322	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11W 312lm
 Weight: Net 7.3 lb – Gross 11.7 lb
 Package: 13.4 x 10.2 x 10.2" – 6.39 lb Vol – 0.078 ft³
 16.1 x 16.1 x 16.1" – 5.29 lb Vol – 2.4 ft³
 LED included



Cable length: 5.75 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Dipping Light Portable

Code	Finish
A691-530	● White - Brushed Brass
A691-531	● White - Graphite
A691-532	● Blue - Brushed Brass
A691-533	● Blue - Graphite
A691-534	● Green - Brushed Brass
A691-535	● Green - Graphite
A691-536	● Amber - Brushed Brass
A691-537	● Amber - Graphite
A691-538	● Pink - Brushed Brass
A691-539	● Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table
 Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1.5A 123lm
 Weight: Net 2.6 lb – Gross 3.3 lb
 Package: 7 x 7 x 14 " – 3.3 lb Vol – 0.4 ft³
 LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




Disk accessory + magnet

Code	Finish
A691-097	● Black

Materials
 Structure: Metal counterweight

Product type: Accessory
 Weight: Net 1.1 lb – Gross 1.3 lb
 Package: 6 x 5.5 x 3.5 " - 1.3 lb – Vol - 0.07 ft³



Magnet accessory

Code	Finish
A680-008	● Inox

Materials
 Structure: Neodymium magnet

Product type: Accessory
 Weight: Net 0.04 lb – Gross 0.04 lb
 Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³




Dipping Light A1-13

Code	Finish
A691-336	White - Brushed Brass
A691-337	White - Graphite
A691-338	Blue - Brushed Brass
A691-339	Blue - Graphite
A691-340	Green - Brushed Brass
A691-341	Green - Graphite
A691-342	Amber - Brushed Brass
A691-343	Amber - Graphite
A691-344	Pink - Brushed Brass
A691-345	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED COB 500mA 5.68W 2700K CRI90 645lm
 Luminaire: 120 VAC TRIAC 9W
 Weight: Net 2 lb – Gross 3.3 lb
 Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³
 Product notes: 0-10V dimming upon request.
 LED included



Dimmable



Wire installation: Hardwired


Dipping Light A2-13

Code	Finish
A691-348	White - Brushed Brass
A691-349	White - Graphite
A691-350	Blue - Brushed Brass
A691-351	Blue - Graphite
A691-352	Green - Brushed Brass
A691-353	Green - Graphite
A691-354	Amber - Brushed Brass
A691-355	Amber - Graphite
A691-356	Pink - Brushed Brass
A691-357	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 500mA 8.6W 2700K CRI90 765lm
 Luminaire: 120 VAC TRIAC 7.5W
 Weight: Net 2 lb – Gross 3.3 lb
 Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³
 Product notes: 0-10V dimming upon request.
 LED included



Dimmable



Wire installation: Hardwired


Dipping Light 13

Code	Finish	Dimming
A691-360	White	on/off
A691-361	Blue	on/off
A691-362	Green	on/off
A691-363	Amber	on/off
A691-364	Pink	on/off
A691-396	White	0-10V
A691-397	Blue	0-10V
A691-398	Green	0-10V
A691-399	Amber	0-10V
A691-410	Pink	0-10V

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V


Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 203lm
 110 - 127 VAC 0-10V 6W 203lm
 Weight: Net 1.7 lb – Gross 2.86 lb
 Package: 8.6 x 8.6 x 9" – 2.86 lb Vol – 0.35 ft³
 LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Dipping Light 13 - 24V

Code	Finish
A691-250	White
A691-251	Blue
A691-252	Green
A691-253	Amber
A691-254	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 31.


Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 203lm
 Weight: Net 1.3 lb – Gross 2.86 lb
 Package: 8.6 x 8.6 x 9" – 2.86 lb Vol – 0.35 ft³
 Product notes: Use with cluster accessory, see pg 31, 32.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black




Dipping Light 20

Code	Finish	Dimming
A691-366	White	on/off
A691-367	Blue	on/off
A691-368	Green	on/off
A691-369	Amber	on/off
A691-370	Pink	on/off
A691-412	White	0-10V
A691-413	Blue	0-10V
A691-414	Green	0-10V
A691-415	Amber	0-10V
A691-416	Pink	0-10V

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V


Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 231lm
 110 - 127 VAC 0-10V 6W 231lm
 Weight: Net 2.6 lb – Gross 3.7 lb
 Package: 13 x 10.2 x 10.2" – 3.7 lb Vol – 0.7 ft³
 LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Dipping Light 20 - 24V

Code	Finish
A691-270	White
A691-271	Blue
A691-272	Green
A691-273	Amber
A691-274	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 31.


Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 231lm
 Weight: Net 2.4 lb – Gross 4.4 lb
 Package: 13 x 10.2 x 10.2" – 4.4 lb Vol – 0.7 ft³
 Product notes: Use with cluster accessory, see pg 31, 32.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black




Dipping Light 30

Code	Finish	Dimming
A691-372	White	Triac
A691-373	Blue	Triac
A691-374	Green	Triac
A691-375	Amber	Triac
A691-376	Pink	Triac
A691-418	White	0-10V
A691-419	Blue	0-10V
A691-420	Green	0-10V
A691-421	Amber	0-10V
A691-422	Pink	0-10V

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC TRIAC 14W 379lm
 110 - 127 VAC 0-10V 14W 379lm
 Weight: Net 5.2 lb – Gross 8 lb
 Package: 16 x 15.7 x 16 " – 8 lb Vol – 2.47 ft³
 LED included



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Dipping Light 30 - 24V

Code	Finish
A691-290	White
A691-291	Blue
A691-292	Green
A691-293	Amber
A691-294	Pink


Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 31.

Product type: Pendant
 Light source: LED SMD 24Vdc 11.5W 2700K CRI90 1024lm
 Luminaire: (Power supply not included) 379lm
 Weight: Net 4.4 lb – Gross 7.3 lb
 Package: 16 x 15.7 x 16 " – 7.3 lb Vol – 2.47 ft³
 Product notes: Use with Cluster accessory, see pg 31, 32.
 1 pc. hook accessory included.
 LED included




Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black



Spare parts

Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
R691-013	Dipping light A	Blue	Glass
R691-014	Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-002-USA	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black






Discocó 35

Code	Finish
A620-055	● White (RAL 9003)
A620-127	● Matte Grey (RAL 7037)
A620-128	● Matte Beige (RAL 1001)
A620-083	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 3.3 lb – Gross 5.7 lb
Package: 33.8 x 7 x 7.4" - 5.7 lb – Vol - 1.06 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White





Discocó 53

Code	Finish
A620-005	White (RAL 9003)
A620-129	Matte Grey (RAL 7037)
A620-130	Matte Beige (RAL 1001)
A620-084	Black - Gold (RAL 9004 - Gold)

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: E26 LED TYPE A 11W
 Weight: Net 6.17 lb – Gross 10.4 lb
 Package: 42.5 x 10.2 x 10.6" - 10.4 lb – Vol - 2.82 ft³
 Lamping not included





Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: White
 Canopy color: White

Discocó 68

Code	Finish
A620-122	White (RAL 9003)
A620-131	Matte Grey (RAL 7037)
A620-132	Matte Beige (RAL 1001)
A620-145	Black - Gold (RAL 9004 - Gold)
A620-162	American oak-Black chrome

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: 3x E26 LED TYPE A 11W
 Weight: Net 10.1 lb – Gross 16.5 lb
 Package: 49.2 x 12.9 x 11.02" - 16.5 lb – Vol - 4.06 ft³
 Product notes: For the wood version, the discs are made of pressed American oak of 4 mm. Black chrome sphere.
 Lamping not included




Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black (American Oak version), White (all the rest)
 Canopy Color: Black (American Oak version), White (all the rest)

Discocó 88

Code	Finish
A620-006	● White (RAL 9003)
A620-133	● Matte Grey (RAL 7037)
A620-134	● Matte Beige (RAL 1001)
A620-085	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 14.8 lb – Gross 23.4 lb
Package: 52.7 x 12.2 x 16.5" - 23.4 lb – Vol - 6 ft³
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó 132


Code	Finish
A620-047	● White (RAL 9003)
A620-135	● Matte Grey (RAL 7037)
A620-136	● Matte Beige (RAL 1001)
A620-086	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 40.8 lb – Gross 52.9 lb
Package: 47.6 x 16.1 x 16.1" - 30.9 lb – Vol - 7.06 ft³
17.7 x 16.5 x 16.5" - 22 lb – Vol - 2.82 ft³
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó C53

Code	Finish
A620-065	White (RAL 9003)
A620-139	Matte Grey (RAL 7037)
A620-140	Matte Beige (RAL 1001)
A620-087	Black - Gold (RAL 9004 - Gold)




Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: E26 LED TYPE A 11W
Weight: Net 4.9 lb – Gross 8.1 lb
Package: 33.8 x 10.6 x 8.6 " - 8.1 lb – Vol - 1.76 ft³
Lamping not included



Wire installation: Hardwired




Discocó C68

Code	Finish
A620-147	White (RAL 9003)
A620-141	Matte Grey (RAL 7037)
A620-142	Matte Beige (RAL 1001)
A620-146	Black - Gold (RAL 9004 - Gold)




Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E26 LED TYPE A 11W
Weight: Net 8.8 lb – Gross 15.4 lb
Package: 42.9 x 13 x 10.6 " - 15.4 lb – Vol - 3.42 ft³
Lamping not included



Wire installation: Hardwired




Discocó A

Code	Finish
A620-089	● White (RAL 9003)
A620-137	● Matte Grey (RAL 7037)
A620-138	● Matte Beige (RAL 1001)
A620-093	● Black - Gold (RAL 9004 - Gold)



Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Wall
Light source: 2x E12 LED TYPE G16.5 5W
Weight: Net 2.6 lb – Gross 3.3 lb
Package: 23 x 7.5 x 6 " - 3.3 lb – Vol - 0.7 ft³
Lamping not included



Wire installation: Hardwired



Djembé, Joan Gaspar

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.



Discover more at marset.com


Djembé 42.21

Code	Finish	Dimming
A681-291	White (RAL 1013)	Triac 
A681-292	Grey (RAL 7022)	Triac
A681-293	Red (RAL 3011)	Triac
A681-294	Sky Blue (PANTONE 7542C)	Triac
A681-380	White (RAL 1013)	0-10V
A681-381	Grey (RAL 7022)	0-10V
A681-382	Red (RAL 3011)	0-10V
A681-383	Sky Blue (PANTONE 7542C)	0-10V

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (Triac)
 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC TRIAC 19W 955lm
 120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb - Gross 9.7 lb
Package: 17.3 x 17.3 x 12" - 9.7 lb Vol - 2.11 ft³
Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


Djembé 42.28

Code	Finish	Dimming
A681-295	White (RAL 1013)	Triac
A681-296	Grey (RAL 7022)	Triac
A681-297	Red (RAL 3011)	Triac
A681-298	Sky Blue (PANTONE 7542C)	Triac
A681-384	White (RAL 1013)	0-10v
A681-385	Grey (RAL 7022)	0-10v
A681-386	Red (RAL 3011)	0-10v
A681-387	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC TRIAC 19W 925lm
 120 - 277 VAC 0-10V 19W 925lm
 Weight: Net 6.6 lb – Gross 11 lb
 Package: 17.3 x 17.3 x 12.6" – 11 lb Vol – 2.118 ft³
 Product notes: 3000K available upon request
 LED included



Cable length: 6.56 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Djembé 65.23

Code	Finish	Dimming
A681-388	White (RAL 1013)	
A681-389	Grey (RAL 7022)	
A681-390	Red (RAL 3011)	
A681-391	Sky Blue (PANTONE 7542C)	

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC TRIAC 26W 1843lm
 120 - 277 VAC 0-10V 26W 1843lm
 Weight: Net 11 lb – Gross 16.3 lb
 Package: 25.6 x 25.6 x 11" – 16.3 lb Vol – 4.23 ft³
 Product notes: 3000K available upon request
 LED included



Cable length: 6.56 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Djembé 65.35

Code	Finish	
A681-392	White (RAL 1013)	
A681-393	Grey (RAL 7022)	
A681-394	Red (RAL 3011)	
A681-395	Sky Blue (PANTONE 7542C)	

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC TRIAC 26W 1845lm
 120 - 277 VAC 0-10V 26W 1845lm
 Weight: Net 13.4 lb – Gross 18.7 lb
 Package: 25.6 x 25.6 x 16.5" – 18.7 lb Vol – 6.35 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black




Djembé 65.45

Code	Finish	
A681-396	White (RAL 1013)	
A681-397	Grey (RAL 7022)	
A681-398	Red (RAL 3011)	
A681-399	Sky Blue (PANTONE 7542C)	

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC TRIAC 26W 1770lm
 120 - 277 VAC 0-10V 26W 1770lm
 Weight: Net 15.2 lb – Gross 20.5 lb
 Package: 25.6 x 25.6 x 19.3" – 20.5 lb Vol – 7.06 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black



Djembé 100.38

Code	Finish	
A681-506	White (RAL 1013)	
A681-507	Grey (RAL 7022)	
A681-508	Red (RAL 3011)	
A681-509	Sky Blue (PANTONE 7542C)	

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant


Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: Only 120 VAC TRIAC 42W 2519lm
120 - 277 VAC 0-10V 42W 2519lm

Weight: Net 22 lb – Gross 41.9 lb

Package: 45.2 x 45.2 x 20 " – 41.9 lb Vol – 24.7 ft³

Product notes: 3000K available upon request

LED included



Dimmable





Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black




Djembé C42.13

Code	Finish	Dimming
A681-136	White (RAL 1013)	Triac 
A681-137	Grey (RAL 7022)	Triac 
A681-138	Red (RAL 3011)	Triac
A681-139	Sky Blue (PANTONE 7542C)	Triac
A681-312	White (RAL 1013)	0-10v
A681-313	Grey (RAL 7022)	0-10v
A681-314	Red (RAL 3011)	0-10v
A681-315	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 0-10V



Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC TRIAC 19W 846lm
 120 - 277 VAC 0-10V 19W 846lm
Weight: Net 5.3 lb – Gross 7.7 lb
Package: 17.3 x 17.3 x 7.4 " – 7.7 lb Vol – 1.41 ft³
Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Djembé C42.21

Code	Finish	Dimming
A681-140	White (RAL 1013)	Triac 
A681-141	Grey (RAL 7022)	Triac 
A681-142	Red (RAL 3011)	Triac
A681-143	Sky Blue (PANTONE 7542C)	Triac
A681-316	White (RAL 1013)	0-10v
A681-317	Grey (RAL 7022)	0-10v
A681-318	Red (RAL 3011)	0-10v
A681-319	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 0-10V



Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC TRIAC 19W 955lm
 120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb – Gross 9.4 lb
Package: 17.3 x 17.3 x 9.8 " – 9.4 lb Vol – 1.765 ft³
Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Djembé C 42.28

Code	Finish	Dimming
A681-144	White (RAL 1013)	Triac 
A681-145	Grey (RAL 7022)	Triac 
A681-146	Red (RAL 3011)	Triac
A681-147	Sky Blue (PANTONE 7542C)	Triac
A681-320	White (RAL 1013)	0-10v
A681-321	Grey (RAL 7022)	0-10v
A681-322	Red (RAL 3011)	0-10v
A681-323	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
 Phase cut (Triac)
 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC TRIAC 19W 925lm
 120 - 277 VAC 0-10V 19W 925lm
Weight: Net 6.6 lb – Gross 11.5 lb
Package: 17.3 x 17.3 x 12.6 cm – 11.5 lb Vol – 2.12 ft³
Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Djembé C 65.23

Code	Finish	Dimming
A681-324	White (RAL 1013)	
A681-325	Grey (RAL 7022)	
A681-326	Red (RAL 3011)	
A681-327	Sky Blue (PANTONE 7542C)	

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1843lm
 120 - 277 VAC 0-10V 26W 1843lm
Weight: Net 10.8 lb – Gross 15.4 lb
Package: 25.6 x 25.6 x 11.8 " – 15.4 lb Vol – 4.59 ft³
Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Djembé C 65.35

Code	Finish	
A681-328	White (RAL 1013)	➤
A681-329	Grey (RAL 7022)	➤
A681-330	Red (RAL 3011)	
A681-331	Sky Blue (PANTONE 7542C)	

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1845lm
120 - 277 VAC 0-10V 26W 1845lm
Weight: Net 14.8 lb – Gross 19.8 lb
Package: 25.6 x 25.6 x 16.5" – 19.8 lb Vol – 6.36 ft³
Product notes: 3000K available upon request
LED included



Wire installation: Hardwired




Djembé C 65.45

Code	Finish	
A681-332	White (RAL 1013)	➤
A681-333	Grey (RAL 7022)	➤
A681-334	Red (RAL 3011)	
A681-335	Sky Blue (PANTONE 7542C)	

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC TRIAC 26W 1770lm
120 - 277 VAC 0-10V 26W 1770lm
Weight: Net 16.5 lb – Gross 22 lb
Package: 25.6 x 25.6 x 19.3" – 22 lb Vol – 7.06 ft³
Product notes: 3000K available upon request
LED included



Wire installation: Hardwired



Djembé C 100.38

Code	Finish	
A681-514	White (RAL 1013)	
A681-515	Grey (RAL 7022)	
A681-516	Red (RAL 3011)	
A681-517	Sky Blue (PANTONE 7542C)	

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (Triac) or 0-10V

Product type: Ceiling

Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm

Luminaire: Only 120 VAC TRIAC 42W 2519lm

120 - 277 VAC 0-10V 42W 2519lm


Weight: Net 22 lb – Gross 42 lb

Package: 45.3 x 45.3 x 20" - 42lb Vol – 24.7 ft³

Product notes: 3000K available upon request

LED included

ø39.4"




Dimmable



Wire installation: Hardwired

Accessory C2 Djembé 42

Code A681-424 Finish ● Black (RAL 9005)




Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2 lb – Gross 3.52 lb
Package: 24.4 x 7.8 x 3.5" - 3.52 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.




Accessory C3 Djembé 42

Code A681-425 Finish ● Black (RAL 9005)




Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.5 lb – Gross 4.4 lb
Package: 24.4 x 7.8 x 3.5" - 4.4 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.



Accessory C2 Djembé 65

Code A681-426 Finish ● Black (RAL 9005)




Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2.5 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.




Accessory C3 Djembé 65

Code A681-427 Finish ● Black (RAL 9005)



Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.





Portable and rechargeable, FollowMe is a table lamp that can be taken wherever you go.

Because of its small, warm, and self-contained character, it is ideal for home, restaurants, terraces, or to replace candlelight.



Discover more at marset.com



reddot award 2016
winner lighting design

FollowMe


- | | | |
|----------|----------------------------|---|
| Code | Finish | |
| A657-080 | White | ➤ |
| A657-082 | Green (RAL 120 40 20) | |
| A657-083 | Pink (RAL 050 80 20) | |
| A657-084 | Terracotta (RAL 040 50 30) | |
| A657-085 | Blue (RAL 190 80 10) | |

Materials
 Diffuser: Opal Polycarbonate
 Body: Polycarbonate
 Handle: Plywood with natural oak varnish

Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1.5A 135lm
 Weight: Net 1.5 lb – Gross 4 lb
 Package: 13.8 x 9.5 x 14" - 2.2lb Vol – 1 ft³ (1u)
 20.08 x 13.39 x 14.17" – 17.6 lb Vol – 2.3 ft³ (6u)

Product notes: Sold in multiples of 6.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.



Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power

FollowMe Plus

Code A657-081 Finish White




Materials
 Diffuser: Opal Polycarbonate
 Body: Polycarbonate
 Diffuser: Opal Polycarbonate
 Handle: Plywood with natural oak veneer

Dimmer
 Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
 Luminaire: in 5 Vdc 1.5A 290lm
 Weight: Net 2.5 lb – Gross 7.8 lb
 Package: Ø9 x 20 " – 4.8 lb Vol – 0.706 ft³ (1u)
 9.44 x 20.8 x 20.4 " – 13.2 lb Vol – 0,07 ft³ (2u)

Product notes: Sold in multiples of 2.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
 Charging time 10 h

Battery life time
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



Spare parts

Code	Product
A657-101	FollowMe / FollowMe Plus
R968-002-USA	FollowMe colors
R968-006-USA	FollowMe / FollowMe Plus
R961-057	FollowMe colors
R961-062	FollowMe / FollowMe Plus

Spare part
Battery
Black power adapter
White power adapter
Usb type C cable black
Usb type C cable white



Funiculí, Lluís Porqueras

Funiculí is a revamped edition of a lamp originally designed in 1979. Lluís Porqueras always sought an absolute simplicity in his designs, stripping everything superfluous to leave only the essence of the simple, useful object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360 degree shade rotation to fit the needs of any room or user.



Discover more at [marset.com](https://www.marset.com)


Funiculí

Code	Finish
A641-006	● Moss grey (RAL 7003)
A641-007	● Off-white (RAL 9001)
A641-008	● Black (RAL 9005)
A641-482	● Green (RAL 110 40 30)
A641-483	● Terracotta (RAL 050 40 50)
A641-484	● Mustard (RAL 075 60 70)



Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 6.8 lb - Gross 11 lb
Package: 14.9 x 21.2 x 4.7" - 9.3lb Vol - 0.847ft³
1.9 x 1.9 x 56.3" - 1.8lb Vol - 0.14ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



Funiculí Fabric

Code	Finish
A641-413	● Black / White
A641-414	● Black / Sand

Materials

Base: Iron wapped with black rubber

Stem: Iron

Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Floor

Light source: E26 LED Standard 8W


Weight: Net 11.5 lb – Gross 16.5 lb

Package: 20.4 x 16.5 x 5.1" - 13.8lb Vol - 1.051ft³

13.38 x 13.38 x 9" - 1.31lb Vol - 0.706ft³

47.2 x 1.6 x 1.6" - 1.3lb Vol - 0.07ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line

Funiculí A

Code	Finish
A641-040	● Moss grey (RAL 7003)
A641-041	● Off-white (RAL 9001)
A641-042	● Black (RAL 9005)
A641-485	● Green (RAL 110 40 30)
A641-486	● Terracotta (RAL 050 40 50)
A641-487	● Mustard (RAL 075 60 70)

Materials

Stem: Iron

Shade: Aluminum


Product type: Wall

Light source: E12 LED TYPE G16.5 5W

Weight: Net 1.8 lb – Gross 3.31 lb

Package: 18.1 x 13.4 x 4.3" - 3.31 lb Vol - 0.6ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black


Switch location: In-line

Funiculí A Fabric

Code	Finish
A641-415	● Black / White
A641-416	● Black / Sand

Materials
 Stem: Iron
 Shade: White or sand polyester
 shade, made of a PVC-PET
 laminated film

Product type: Wall
 Light source: E12 LED 5W
 Weight: Net 1.5 lb – Gross 3.7 lb
 Package: 25.6 x 11.4 x 3.9" - 6.61lb Vol - 0.7ft³
 10.3 x 10.3 x 7" - 2.64lb VOL - 0.42ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Funiculí S

Code	Finish
A641-030	● Moss grey (RAL 7003)
A641-031	● Off-white (RAL 9001)
A641-032	● Black (RAL 9005)
A641-488	● Green (RAL 110 40 30)
A641-489	● Terracotta (RAL 050 40 50)
A641-490	● Mustard (RAL 075 60 70)

Materials
 Base: Iron wapped with black rubber
 Stem: Iron
 Shade: Aluminum

Product type: Table
 Light source: E12 LED 5W
 Weight: Net 4 lb – Gross 6 lb
 Package: 18.5 x 13.4 x 4.3" – 6 lb Vol – 0.6 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Funiculí S Fabric

Code
A641-417 Finish
A641-418 ● Black / White
 ● Black / Sand

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: White or sand polyester
shade, made of a PVC-PET
laminated film

Product type: Wall
Light source: E12 LED 5W
Weight: Net 3.7 lb – Gross 5.9 lb
Package: 25.6 x 12.2 x 3.9" - 5.31 lb VOL - 0.706ft³
 10.2 x 10.2 x 7" - 0.6 lb VOL - 0.42ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line





LED-Ginger, Joan Gaspar

Wood is a great ally of cozy lighting. It is a material that is hard to mold, a challenge that the LED-Ginger collection neatly resolves. The combination of sheets of wood, paper and resins pressed together under high pressure achieves a laminate that

appears almost entirely flat, which discreetly lights up spaces with indirect light. The LED-Ginger collection has been expanded over time to provide solutions to different lighting needs.



Discover more at marset.com

LED-Ginger 20


Code	Finish
A662-189	● Oak-White
A662-190	● Wenge-White
A662-191	● Oak-Oak
A662-192	● Wenge-Wenge
A662-252	● Brushed brass-Brushed brass
A662-253	● Brushed brass-White
A662-254	● Black-White

Materials: Pressed wood or brushed aluminum
Dissipater: Aluminum
Dimmable: No

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 161lm
Weight: Net 1.3 lb – Gross 1.8 lb
Package: 9 x 8.26 x 3.93 " – 1.8 lb Vol – 0.35 ft³
LED included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




LED-Ginger 20 - 24V

Code	Finish
A662-392	● Oak-White
A662-393	● Wenge-White
A662-394	● Oak-Oak
A662-395	● Wenge-Wenge
A662-344	● Brushed brass-Brushed brass
A662-345	● Brushed brass-White
A662-346	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 31.

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm
 Weight: Net 0.7 lb – Gross 1.1 lb
 Package: 9 x 8.26 x 3.93" – 1.1 lb Vol – 0.35 ft³
 Product notes: Use with Cluster accessory, see pg 31, 32.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black


LED-Ginger 20x3

Code	Finish
A662-193	● Oak-White
A662-194	● Wenge-White
A662-195	● Oak-Oak
A662-196	● Wenge-Wenge
A662-237	● Brushed brass-Brushed brass
A662-238	● Brushed brass-White
A662-239	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 12.15W 2700K CRI90 1389lm
 Luminaire: Only 120 VAC TRIAC 16W 483lm
 120 - 277 VAC 0-10V 16W 483lm
 Weight: Net 3.3 lb – Gross 4.4 lb
 Package: 16.5 x 16.5 x 2.8" – 4.4 lb Vol – 0.35 ft³
 LED included



Dimmable




Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black - Entry point: 3

LED-Ginger accessory 20x3

Code A662-188 Finish ● Black

Materials Disc: Iron

Product type: Accessory
Weight: Net 1.5 lb – Gross 2.2 lb
Package: 16.1 x 16.1 x 1" - 2.2 lb – Vol - 0.003 ft³




LED-Ginger 32

Code	Finish	Dimming
A662-035	● Oak-White	Triac
A662-036	● Wenge-White	Triac
A662-241	● Brushed brass-Brushed brass	Triac
A662-242	● Brushed brass-White	Triac
A662-243	● Black-White	Triac
A662-318	● Oak-White	0-10V
A662-319	● Wenge-White	0-10V
A662-245	● Brushed brass-Brushed brass	0-10V
A662-246	● Brushed brass-White	0-10V
A662-247	● Black-White	0-10V

Materials Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC TRIAC 14W 350lm
120 - 277 VAC 0-10V 14W 350lm
Weight: Net 3 lb – Gross 5.5 lb
Package: 18.9 x 18.9 x 6.7" - 5.5 lb VOL - 1.4ft³
LED included





Dimmable



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


LED-Ginger 42

Code	Finish	Dimming
A662-037	● Oak-White	Triac 
A662-038	● Wenge-White	Triac 
A662-276	● Brushed brass-Brushed brass	Triac
A662-277	● Brushed brass-White	Triac
A662-278	● Black-White	Triac
A662-320	● Oak-White	0-10V
A662-321	● Wenge-White	0-10V
A662-280	● Brushed brass-Brushed brass	0-10V
A662-281	● Brushed brass-White	0-10V
A662-282	● Black-White	0-10V

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (Triac)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC TRIAC 21W 698lm
 120 - 277 VAC 0-10V 21W 698lm
 Weight: Net 4,4 lb – Gross 7.7 lb
 Package: 22.44 x 20.87 x 6.69" - 7.7 lb VOL - 1.8ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Ginger 60

Code	Finish	
A662-322	● Oak-White	
A662-323	● Wenge-White	
A662-284	● Brushed brass-Brushed brass	
A662-285	● Brushed brass-White	
A662-286	● Black-White	

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V


Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC TRIAC 28W 1165lm
 120 - 277 VAC 0-10V 28W 1165lm
 Weight: Net 7.7 lb – Gross 13.7 lb
 Package: 26.37 x 26.37 x 9.4" - 13.7lb VOL - 3.46 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




LED-Ginger 20 M

Code	Finish
A662-560	● Oak-White
A662-561	● Wenge-White
A662-562	● Brushed brass-Brushed brass
A662-563	● Brushed brass-White


Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
Luminaire: in 5 Vdc 1.5A 290lm
Weight: Net 1.7 lb – Gross 2.2 lb
Package: 15.7 x 8.2 x 6.7" - 2.2lb (1u) VOL - 0.35ft³ (1u)
15.3 x 8.6 x 16.1" - 5.3lb (2u) VOL - 1.4ft³ (2u)
Product notes: Sold in multiples of 2.
Charging cable included (USB to USB-C). Power adapter not included.



Dimmer

 Under approval process. For latest certification status check the spec sheet.

Switch location: Base
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




LED-Ginger S

Code	Finish
A662-039	● Oak-White
A662-040	● Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W 350lm
Weight: Net 5.7 lb – Gross 9.92 lb
Package: 22.44 x 20.87 x 6.69" - 9.92lb VOL - 1.8ft³
LED included



Dimmer



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




LED-Ginger M

Code	Finish
A662-085	● Oak-White
A662-086	● Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 16.85W 698lm
Weight: Net 7.5 lb – Gross 12.3 lb
Package: 24 x 24 x 8.6" - 12.3 lb VOL - 2.8ft³
LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




LED-Ginger P

Code	Finish
A662-041	● Oak-White
A662-042	● Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 264 VAC 698lm
Weight: Net 10.8 lb – Gross 14.4 lb
Package: 22.44 x 20.87 x 6.69" - 14.4lb VOL - 1.8ft³
7.4 x 7.4 x 52.4" - 4.41lb VOL - 1.6ft³
LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



LED-Ginger XL 42


Code	Finish
A662-120	● Oak-White
A662-121	● Wenge-White

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Stem: Metal
 Arm: Carbon fiber

Integrated dimmer: Yes
 Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 698lm
 Weight: Net 52.5 lb – Gross 61.3 lb
 Package: 22.44 x 20.87 x 6.69" - 6.171lb VOL - 1.8ft³
 75.2 x 7.87 x 4.3" - 22.04lb VOL - 1.41ft³
 24.8 x 24.4 x 1.57" - 33.06lb VOL - 0.7ft³

LED included



Cable length: 8.2 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



LED-Ginger 20 A

Code	Finish	Dimmer
Plug-in		
A662-199	● Oak-White	Progressive
A662-200	● Wenge-White	Progressive


Hardwired		
A662-201	● Oak-White	No
A662-202	● Wenge-White	No

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Structure: Metal

Integrated dimmer: Yes
 Dimmer Type: Plug-in version, Progressive in-line dimmer from 0 to 100.

Product type: Wall
 Light source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 85 - 264 VAC 5.7W 161lm
 Weight: Net 1.3 lb – Gross 3.3 lb
 Package: 18.1 x 11 x 9.4" - 3.3lb VOL - 1.06ft³
 Product notes: Plug-in: Progressive dimmer from 0 to 100.
 Hardwired: Canopy with switch on/off.

LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired






LED-Ginger A

Code	Finish	Dimmer
Plug-in		
A662-087	● Oak-White	Progressive
A662-088	● Wenge-White	Progressive
Hardwired (Canopy)		
A662-095	● Oak-White	Triac / on-off
A662-096	● Wenge-White	Triac / on-off

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Structure: Metal

Integrated dimmer: Yes
 Dimmer Type:
 Plug-in version: progressive in-line dimmer from 0 to 100.
 Hardwired version: Phase cut (triac) dimming driver

Product type: Wall
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 14W 350lm (Plug-in)
 100 - 120 VAC TRIAC 14W 350lm (Canopy)
 Weight: Net 3.3 lb – Gross 6.61 lb
 Package: 22.4 x 20.8 x 6.69" - 6.61lb VOL - 1.8ft³
 LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired




LED-Ginger 20C

Code	Finish	Dimmable
A662-288	● Oak-White	No
A662-289	● Wenge-White	
A662-290	● Oak-Oak	
A662-291	● Wenge-Wenge	
A662-292	● Brushed brass-Brushed brass	
A662-293	● Black-White	
A662-576-36-27K	● Mauve (RAL 010 70 10)	
A662-576-37-27K	● Sand (RAL 050 85 10)	
A662-576-38-27K	● Stone Grey (RAL 000 65 00)	

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: No



Product type: Wall / Ceiling
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 161lm
 Weight: Net 0.9 lb – Gross 1.5 lb
 Package: 9.4 x 8.3 x 3.9" - 1.5 lb VOL - 0,35 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




LED-Ginger 32C

Code	Finish	Dimming
A662-203	● Oak-White	Triac
A662-204	● Wenge-White	Triac 
A662-205	● Oak-Oak	Triac 
A662-206	● Wenge-Wenge	Triac
A662-294	● Brushed brass	Triac
A662-295	▲ Black-White	Triac
A662-577-36-27K	● Mauve (RAL 010 70 10)	Triac
A662-577-37-27K	● Sand (RAL 050 85 10)	Triac
A662-577-38-27K	● Stone Grey (RAL 000 65 00)	Triac
A662-324	● Oak-White	0-10V
A662-325	● Wenge-White	0-10V
A662-326	● Oak-Oak	0-10V
A662-327	● Wenge-Wenge	0-10V
A662-296	● Brushed brass	0-10V
A662-297	▲ Black-White	0-10V
A662-578-36-27K	● Mauve (RAL 010 70 10)	0-10V
A662-578-37-27K	● Sand (RAL 050 85 10)	0-10V
A662-578-38-27K	● Stone Grey (RAL 000 65 00)	0-10V


Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (Triac)
 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC TRIAC 14W 350lm
 120 - 277 VAC 0-10V 14W 350lm
 Weight: Net 2.2 lb – Gross 4.41 lb
 Package: 16.9 x 18.9 x 6.7" - 4.41 lb VOL - 1.4ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




LED-Ginger 42C

Code	Finish	Dimming
A662-207	● Oak-White	Triac
A662-208	● Wenge-White	Triac ➤➤
A662-209	● Oak-Oak	Triac ➤➤
A662-210	● Wenge-Wenge	Triac
A662-446	● Brushed brass	Triac
A662-447	● Black-White	Triac
A662-579-36-27K	● Mauve (RAL 010 70 10)	Triac
A662-579-37-27K	● Sand (RAL 050 85 10)	Triac
A662-579-38-27K	● Stone Grey (RAL 000 65 00)	Triac
A662-328	● Oak-White	0-10V
A662-329	● Wenge-White	0-10V
A662-330	● Oak-Oak	0-10V
A662-331	● Wenge-Wenge	0-10V
A662-448	● Brushed brass	0-10V
A662-449	● Black-White	0-10V
A662-580-36-27K	● Mauve (RAL 010 70 10)	0-10V
A662-580-37-27K	● Sand (RAL 050 85 10)	0-10V
A662-580-38-27K	● Stone Grey (RAL 000 65 00)	0-10V


Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (Triac)
 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC TRIAC 21W 698lm
 120 - 277 VAC 0-10V 21W 698lm
 Weight: Net 4.2 lb – Gross 7.71 lb
 Package: 22.4 x 20.8 x 6.7 " - 7.71lb VOL - 1.80ft³
 LED included



Dimmable



Canopy color: Black
 Wire installation: Hardwired


LED-Ginger 60C

Code	Finish
A662-332	● Oak-White
A662-333	● Wenge-White
A662-334	● Oak-Oak
A662-335	● Wenge-Wenge
A662-450	● Brushed brass-Brushed brass
A662-451	● Black-White
A662-581-36-27K	● Mauve (RAL 010 70 10)
A662-581-37-27K	● Sand (RAL 050 85 10)
A662-581-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC TRIAC 28W 1165lm
 120 - 277 VAC 0-10V 28W 1165lm
 Weight: Net 7.3 lb – Gross 13.8 lb
 Package: 26.3 x 26.3 x 9.44" - 13.8lb VOL - 3.53ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired

Accessory C2 20/32

Code	Finish
A662-518	● Black

Shades 20	Finish
A662-519	● Oak-White
A662-520	● Wenge-White
A662-521	● Oak-Oak
A662-522	● Wenge-Wenge
A662-523	● Brushed brass-Brushed brass
A662-524	● Black-White
A662-582-36-27K	● Mauve (RAL 010 70 10)
A662-582-37-27K	● Sand (RAL 050 85 10)
A662-582-38-27K	● Stone Grey (RAL 000 65 00)



Shades 32	Finish
A662-525	● Oak-White
A662-526	● Wenge-White
A662-527	● Oak-Oak
A662-528	● Wenge-Wenge
A662-529	● Brushed brass-Brushed brass
A662-530	● Black-White
A662-583-36-27K	● Mauve (RAL 010 70 10)
A662-583-37-27K	● Sand (RAL 050 85 10)
A662-583-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V


Product type: Wall / Ceiling
 Luminaire: Only 120 VAC TRIAC 20W (max.)
 120 - 277 VAC 0-10V 20W (max.)
 Weight: Net 9.9 lb – Gross 13.2 lb
 Package: 9.1 x 8.3 x 3.9" - 2.2lb VOL - 0.35 ft³
 22.4 x 20.9 x 6.7" - 6.6lb VOL - 1.8 ft³
 24.4 x 7.8 x 3.5" - 4.4lb VOL - 0.35 ft³

Product notes: Must be specified together with Ginger 32C + 42C. See pg 78, 79.
 LED included



Dimmable

ADA



Canopy color: Black
 Wire installation: Hardwired

Accessory C3 20/32/42

Code	Finish
Structure A662-539	● Black
Shades 20	
A662-519	● Oak-White
A662-520	● Wenge-White
A662-521	● Oak-Oak
A662-522	● Wenge-Wenge
A662-523	● Brushed brass-Brushed brass
A662-524	● Black-White
A662-582-36-27K	● Mauve (RAL 010 70 10)
A662-582-37-27K	● Sand (RAL 050 85 10)
A662-582-38-27K	● Stone Grey (RAL 000 65 00)

Shades 32	
A662-525	● Oak-White
A662-526	● Wenge-White
A662-527	● Oak-Oak
A662-528	● Wenge-Wenge
A662-529	● Brushed brass-Brushed brass
A662-530	● Black-White
A662-583-36-27K	● Mauve (RAL 010 70 10)
A662-583-37-27K	● Sand (RAL 050 85 10)
A662-583-38-27K	● Stone Grey (RAL 000 65 00)

Shades 42	
A662-532	● Oak-White
A662-533	● Wenge-White
A662-534	● Oak-Oak
A662-535	● Wenge-Wenge
A662-536	● Brushed brass-Brushed brass
A662-537	● Black-White
A662-584-36-27K	● Mauve (RAL 010 70 10)
A662-584-37-27K	● Sand (RAL 050 85 10)
A662-584-38-27K	● Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Dual dimming driver
	Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
 Luminaire: Only 120 VAC TRIAC 30W (max.)
 120 - 277 VAC 0-10V 30W (max.)

Weight: Net 17.2 lb – Gross 22 lb
 Package: 9.1 x 8.3 x 3.9" - 2.2lb VOL - 0.35 ft³
 22.4 x 20.8 x 6.7" - 7.7lb VOL - 1.8 ft³
 22.4 x 20.8 x 6.7" - 6.6lb VOL - 1.8 ft³
 20.9 x 20.9 x 4.7" - 5.5lb VOL - 1.1 ft³

Product notes: Must be specified together with Ginger 20C + 32C + 42C. See pg 77, 78, 79.

LED included


Canopy color: Black
 Wire installation: Hardwired

Accessory C2 LED-Ginger 32/42




Code	Finish
A662-215	● Black (RAL 9005)

Materials
 Structure: Painted iron

Product type: Accessory
 Weight: Net 3.9 lb – Gross 4.4 lb
 Package: When ordered, this item is shipped coupled with the Ginger 42C.
 Product notes: Product notes: Must be specified together with Ginger 32C + 42C.
 See pg 78, 79.




Dimmable




Accessory C2 LED-Ginger 42/60

Code A662-273
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



Product type: Accessory
Weight: Net 3.9 lb – Gross 4.8 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Product notes: Must be specified together with Ginger 42C + 60C.
See pg 79, 80.




Accessory C3 LED-Ginger 32/42/60

Code A662-216
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



Product type: Accessory
Weight: Net 5.9 lb – Gross 6.6 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 32C + 42C + 60C. See pg 78, 79, 80.



Spare parts

Code	Product	Finish	Spare part
R662-013	LED-Ginger 20	Oak-White	Shade
R662-014	LED-Ginger 20	Wenge-White	Shade
R662-015	LED-Ginger 20	Oak	Shade
R662-016	LED-Ginger 20	Wenge	Shade
R662-017	LED-Ginger 20	Brushed brass	Shade
R662-018	LED-Ginger 20	Brushed brass-White	Shade
R662-019	LED-Ginger 20	Black-White	Shade
R662-211-36	LED-Ginger 20	Mauve	Shade
R662-211-37	LED-Ginger 20	Sand	Shade
R662-211-38	LED-Ginger 20	Stone Grey	Shade
R662-039	LED-Ginger 32	Oak-White	Shade
R662-040	LED-Ginger 32	Wenge-White	Shade
R662-038	LED-Ginger 32	Oak	Shade
R662-041	LED-Ginger 32	Wenge	Shade
R662-042	LED-Ginger 32	Brushed brass	Shade
R662-043	LED-Ginger 32	Brushed brass-White	Shade
R662-044	LED-Ginger 32	Black-White	Shade
R662-212-36	LED-Ginger 32	Mauve	Shade
R662-212-37	LED-Ginger 32	Sand	Shade
R662-212-38	LED-Ginger 32	Stone Grey	Shade
R662-032	LED-Ginger 42	Oak-White	Shade
R662-024	LED-Ginger 42	Wenge-White	Shade
R662-046	LED-Ginger 42	Oak	Shade
R662-047	LED-Ginger 42	Wenge	Shade
R662-048	LED-Ginger 42	Brushed brass	Shade
R662-049	LED-Ginger 42	Brushed brass-White	Shade
R662-050	LED-Ginger 42	Black-White	Shade
R662-213-36	LED-Ginger 42	Mauve	Shade
R662-213-37	LED-Ginger 42	Sand	Shade
R662-213-38	LED-Ginger 42	Stone Grey	Shade
R662-052	LED-Ginger 60	Oak-White	Shade
R662-025	LED-Ginger 60	Wenge-White	Shade
R662-053	LED-Ginger 60	Oak	Shade
R662-054	LED-Ginger 60	Wenge	Shade
R662-055	LED-Ginger 60	Brushed brass	Shade
R662-056	LED-Ginger 60	Brushed brass-White	Shade
R662-037	LED-Ginger 60	Black-White	Shade
R662-214-36	LED-Ginger 60	Mauve	Shade
R662-214-37	LED-Ginger 60	Sand	Shade
R662-214-38	LED-Ginger 60	Stone Grey	Shade
A662-400	LED-Ginger 20M		Battery
R968-002-USA	LED-Ginger 20M		Black power adapter
R961-057	LED-Ginger 20M		Usb type C cable black



LED-Ginger Outdoor, Joan Gaspar

The LED-Ginger collection is moving outdoors, with numerous sizes of wall sconce and bollard as well as a large-scale lamppost style light. This outdoor collection also

introduces a unique new rust brown finish, with a deep, warm glow, alongside the standard black-white metal finish familiar to the indoor version.



Discover more at marset.com

LED-Ginger 15C IP65


Code A662-649-31
A662-649-39

Finish
● Rust Brown
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67lm - Black-White
(Power supply not included) 27lm - Rust brown
Weight: Net 0.8 lb – Gross 1.1 lb
Package: 9.4 x 8.3 x 3.9 " – 1.1 lb Vol – 0.3 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included



Dimmable


ADA

Suitable for
wet locations



Under approval process. For latest certification status check the spec sheet.

Canopy color: Black
Wire installation: Hardwired




LED-Ginger 20C IP65

Code	Finish
A662-650-31	● Rust Brown
A662-650-39	● Black-White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm - Black-White
 (Power supply not included) 29lm - Rust brown
 Weight: Net 1.1 lb – Gross 1.5 lb
 Package: 9.4 x 8.3 x 3.9 " – 1.5 lb Vol – 0.4 ft³
 Product notes: 24V remote power supply to be ordered separately, see pg 90.
 LED included




Dimmable

ADA

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.




Canopy color: Black

LED-Ginger 32C IP65

Code	Finish	Dimming
A662-651-31	● Rust Brown	Triac
A662-651-39	● Black-White (RAL 9005-9010)	Triac
A662-652-31	● Rust Brown	0-10V
A662-652-39	● Black-White (RAL 9005-9010)	0-10V

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Phase cut (Triac) 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 7.8W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC TRIAC 14W 350lm- Black-White
 120 - 277 VAC 0-10V 14W 350lm- Black-White
 100 - 120 VAC TRIAC 14W 81lm- Rust Brown
 120 - 277 VAC 0-10V 14W 81lm- Rust Brown
 Weight: Net 1.9 lb – Gross 4.4 lb
 Package: 16.9 x 18.9 x 6.7 " – 4.4 lb Vol – 1.4 ft³
 LED included




Dimmable

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.



Canopy color: Black

LED-Ginger 42C IP65


Code	Finish	Dimming
A662-653-31	● Rust Brown	Triac
A662-653-39	● Black-White (RAL 9005-9010)	Triac
A662-654-31	● Rust Brown	0-10V
A662-654-39	● Black-White (RAL 9005-9010)	0-10V

Materials
 Diffuser: Aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (Triac)
 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 15.4W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC TRIAC 21W 698lm- Black-White
 120 - 277 VAC 0-10V 21W 698lm- Black-White
 90 - 135 VAC TRIAC 21W 186lm- Rust brown
 120 - 277 VAC 0-10V 21W 186lm- Rust brown


Weight: Net 4 lb – Gross 7.7 lb
 Package: 22.4 x 20.9 x 6.7 " – 7.7 lb Vol – 1.8 ft³
 LED included



Dimmable

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.



Canopy color: Black

LED-Ginger 60C IP65


Code	Finish
A662-655-31	● Rust Brown
A662-655-39	● Black-White (RAL 9005-9010)

Materials
 Diffuser: Aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 21W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC TRIAC 28W 1165lm- Black-White
 120 - 277 VAC 0-10V 28W 1165lm- Black-White
 Only 120 VAC TRIAC 28W 245lm - Rust brown
 120 - 277 VAC 0-10V 28W 245lm - Rust brown


Weight: Net 7.9 lb – Gross 13.9 lb
 Package: 26.4 x 26.4 x 9.5 " – 13.9 lb Vol – 3.5 ft³
 LED included



Dimmable

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.




Canopy color: Black

LED-Ginger B 20/44

Code Finish
A662-554-31 ● Rust Brown-White
A662-554-39 ● Black-White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Structure: Aluminum Dimming protocols: 0-10V

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 1.8 lb – Gross 2.9 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
 5.9 x 5.1 x 18.9" – 1.3 lb Vol – 0.3 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included



Dimmable

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.

Cable length: 8.5 ft
Canopy color: Black




LED-Ginger B 20/63

Code Finish
A662-543-31 ● Rust Brown-White
A662-543-39 ● Black-White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Structure: Aluminum Dimming protocols: 0-10V

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 1.9 lb – Gross 3 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
 5.9 x 5.1 x 26.2" – 1.5 lb Vol – 0.35 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included



Dimmable

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.

Cable length: 7.9 ft
Canopy color: Black



LED-Ginger B 20/86


Code
A662-544-31
A662-544-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 2.2 lb – Gross 3.5 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 38.8" – 2 lb Vol – 0.7 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 90.
LED included



Dimmable

Suitable for
wet locations



Under approval process. For latest certification status check the spec sheet.

Cable length: 6.9 ft
Canopy color: Black




Post accessory

Code
A662-555

Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.5 x 5.5 x 11" - 0.9 lb – Vol - 0.2 ft³





Ground fixation plate

Code A662-556 Finish ● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.9 x 5.9 x 5.1" - 0.9 lb – Vol - 0.1 ft³



LED-Ginger: Power Supply - Dimmable

Code	Description	Dimming	VAC
968-230	Power supply 60W - 24V	0-10V	120-277
968-233	Power supply 100W - 24V	0-10V	120-277

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.
These LED drivers must be installed in a cabinet / box suitable for wet locations or in a dry location.

LED-Ginger: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø5,5/12mm cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø5,5/12mm cable).

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.




LED-Ginger 60/298

Code A662-745 Finish
 ▲ Black-White (RAL 9005-9010)

Materials Dimmable: Yes
 Diffuser: Aluminum Integrated dimmer: No
 Structure: Stainless Steel Dimming: Depending on the connection
 Dissipater: Aluminum ON / OFF
 1-10V

Product type: Lamppost
 Light source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
 Luminaire: 90 - 305 VAC 1-10V 35.8W 1463lm
 Weight: Net 29.2 lb – Gross 44 lb
 Package: 26.8 x 27.2 x 9.4 " – 12.6 lb Vol – 3.9 ft³
 24 x 6.3 x 100.4 " – 24.5 lb Vol – 8.8 ft³
 9.8 x 9.8 x 17.3 " – 7.2 lb Vol – 1.1 ft³

LED included



Dimmable

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.




Wire installation: Hardwired

Ground fixation plate

Code A662-733 Finish
 ● Stainless steel

Materials
 Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger 60/298
 Weight: Net 3.5 lb – Gross 5.3 lb
 Package: 13.8 x 9.4 x 9.4 " - 5.3 lb – Vol - 0.7 ft³



High Line, Josep Lluís Xuclà

The High Line is a light sculpture, a svelte form that emits light without revealing its source. The floor lamp by Josep Lluís Xuclà illuminates indirectly by reflection, with a

twist: the High Line's ally is not the ceiling but the wall, and they want to remain close. Formally, the High Line is a composition of volumes and forms.



High Line

Code
A690-009


Finish
Oak-White (RAL 9002)



Materials
Base: Iron
Structure: Wooden profiles

Integrated dimmer: Yes
Dimmer Type: Progressive dimmer from
0 to 100

Product type: Floor
Light Source: LED SMD 700mA 30W 2700K CRI90 3895lm
Luminaire: 110 - 120 VAC 44W 2076lm
Weight: Net 20.5 lb – Gross 29.32 lb
Package: 80 x 9 x 7" – 22.04 lb Vol – 2.68 ft³
13 x 14 x 1.18" – 8.3 lb Vol – 0.035 ft³
LED included



Dimmer



Cable length: 7.25 ft
Cord color: Black
Switch location: In-line

In search of the beauty of light, Joanna Laajisto created a sculptural lamp defined by its pure, almost graphic forms, and by the balance between rigidity and fragility.

Offering the option of ambient light for any classic or contemporary interior design project, this modular collection can be used to create light compositions.



Discover more at marset.com




Ihana x2 80

Code	Finish	Dimming	CCT
A709-157-39-27K	● Opal	Triac	27K
A709-158-39-22/30K	● Opal	Triac	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC TRIAC 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC TRIAC 28W
 Weight: Net 9.9 lb – Gross 14.8 lb
 Package: (2x) 8.3 x 16.5 x 16.5 " – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45 " – 8.15 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black


Ihana x2 100

Code	Finish	Dimming	CCT
A709-111-39-27K	Opal	Triac	27K
A709-112-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 2200K to 3000K (Triac)


Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC TRIAC 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC TRIAC 28W
 Weight: Net 9.9 lb – Gross 14.8 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Dimmable



Under approval process. For latest certification status check the spec sheet.



Wire installation: Hardwired
 Canopy color: Black


Ihana x2 150

Code	Finish	Dimming	CCT
A709-109-39-27K	Opal	Triac	27K
A709-110-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC TRIAC 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC TRIAC 28W
 Weight: Net 11.3 lb – Gross 18.1 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 66" – 11.5 lb Vol – 1.76 ft³
 Product notes: 0-10V upon request
 LED included



Dimmable



Under approval process. For latest certification status check the spec sheet.



Wire installation: Hardwired
 Canopy color: Black


Ihana x2 200

Code	Finish	Dimming	CCT
A709-107-39-27K	● Opal	Triac	27K
A709-108-39-22/30K	● Opal	Triac	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC TRIAC 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC TRIAC 28W
 Weight: Net 14.8 lb – Gross 21.4 lb
 Package: (2x) 8.3 x 16.5 x 16.5 " – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 88.6 " – 14.8 lb Vol – 2.47 ft³
 Product notes: 0-10V upon request
 LED included



Dimmable

Under approval process. For latest certification status check the spec sheet.



Wire installation: Hardwired
 Canopy color: Black


Ihana x3 80

Code	Finish	Dimming	CCT
A709-156-39-27K	● Opal	Triac	27K
A709-113-39-22/30K	● Opal	Triac	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC TRIAC 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC TRIAC 42W
 Weight: Net 15 lb – Gross 21 lb
 Package: (3x) 8.3 x 16.5 x 16.5 " – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45 " – 8.15 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45 " – 6.2 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Dimmable

Under approval process. For latest certification status check the spec sheet.



Wire installation: Hardwired
 Canopy color: Black

Ihana x3 100


Code	Finish	Dimming	CCT
A709-105-39-27K	Opal	Triac	27K
A709-106-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC TRIAC 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC TRIAC 42W
 Weight: Net 15 lb – Gross 21 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 6.2 lb Vol – 1.41 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



Ihana x3 150


Code	Finish	Dimming	CCT
A709-103-39-27K	Opal	Triac	27K
A709-104-39-22/30K	Opal	Triac	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC TRIAC 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC TRIAC 42W
 Weight: Net 17.2 lb – Gross 28 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 65.8" – 11.5 lb Vol – 1.76 ft³
 7 x 7 x 65.8" – 9.9 lb Vol – 1.76 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




Ihana x3 200

Code	Finish	Dimming	CCT
A709-101-39-27K	Opal	Triac	27K
A709-102-39-22/30K	Opal	Triac	DTW 22K-30K


Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 2200K to 3000K (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC TRIAC 42W 149lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC TRIAC 42W
Weight: Net 18 lb – Gross 33.3 lb
Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
7 x 7 x 88.5" – 14.7 lb Vol – 2.47 ft³
7 x 7 x 88.5" – 11.9 lb Vol – 2.47 ft³

Product notes: 0-10V upon request
LED included




Under approval process. For latest certification status check the spec sheet.



Wire installation: Hardwired
Canopy color: Black



Ihana Customized configuration

Code	Description	Dimming	CCT
Glass (A)			
A709-020-51-27K	● Opal	Triac	27K
A709-121-51-22/30K	● Opal	Triac	DTW 22K-30K




Product notes: Maximum 14 units. LED included

Code	Description	Dimming
Start + End set (B)		
A709-154-39	● Start+End 80 cm	Triac - DTW
A709-122-39	● Start+End 100 cm	Triac - DTW
A709-124-39	● Start+End 150 cm	Triac - DTW
A709-126-39	● Start+End 200 cm	Triac - DTW




Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 1 unit.

Code	Description	Dimming
Central tube (C)		
A709-155-39	● Central 80 cm	Triac - DTW
A709-123-39	● Central 100 cm	Triac - DTW
A709-125-39	● Central 150 cm	Triac - DTW
A709-127-39	● Central 200 cm	Triac - DTW



Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 12 unit.



- Configuration x4: 4A + 1B + 2C
- Configuration x5: 5A + 1B + 3C
- Configuration x6: 6A + 1B + 4C
- Configuration x7: 7A + 1B + 5C
- Configuration x8: 8A + 1B + 6C
- Configuration x9: 9A + 1B + 7C
- Configuration x10: 10A + 1B + 8C
- Configuration x11: 11A + 1B + 9C
- Configuration x12: 12A + 1B + 10C
- Configuration x13: 13A + 1B + 11C
- Configuration x14: 14A + 1B + 12C

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 1800K to 3000K (Triac)

Dimmable



Under approval process. For latest certification status check the spec sheet.

Product type: Pendant / Ceiling
Light source: ?x LED SMD 700mA 7.8W 2700K CRI90 609lm
Luminaire: ?x 100 - 120 VAC TRIAC 14W 331lm
Light source DTW: ?x LED SMD 700mA 7.8W 2200-3000K CRI90
Luminaire DTW: ?x 100 - 120 VAC TRIAC 14W
Package:
Glass
8.3 x 16.5 x 16.5 " - 6.6 lb Vol - 1.41 ft³
Start+End 80 cm
9.5 x 5.5 x 45 " - 8.1 lb Vol - 1.41 ft³
Start+End 100 cm
9.5 x 5.5 x 45 " - 8.1 lb Vol - 1.41 ft³
Start+End 150 cm
7 x 7 x 65.8 " - 11.5 lb Vol - 1.76 ft³
Start+End 200 cm
7 x 7 x 88.6 " - 14.8 kg Vol - 2.47ft³
Central 80 cm
9.5 x 5.5 x 45 " - 6.2 lb Vol - 1.41 ft³
Central 100 cm
9.5 x 5.5 x 45 " - 6.2 lb Vol - 1.41 ft³
Central 150 cm
7 x 7 x 65.8 " - 9.9 lb Vol - 1.76 ft³
Central 200 cm
7 x 7 x 88.6 " - 11.9 lb Vol - 2.47 ft³

Product notes: 3000K available upon under request

Jaima, Joan Gaspar

Through the language of textiles, Joan Gaspar has designed a light of flexible, ductile materials that sifts the light as readily as it moves with the wind. In the Jaima collection, the light is the shade and weaver of emotions.

This collection takes its name from the bedouin tents of North Africa, and is inspired by their varied fabrics and forms.



Discover more at marset.com



DESIGN PLUS

powered by: **light+building**

Jaima 43 E26


Code
A683-047
A683-048

Finish
● Beige
● Grey



Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4 " – 11 lb Vol – 2.8 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Jaima 54 E26

Code Finish
A683-051 ● Beige
A683-052 ● Grey



Materials

Shade: Textilene, inner part in white


Product type: Pendant

Light Source: E26 LED Globe (ø120) 22W

Weight: Net 4.85 lb – Gross 11 lb

Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³

Lamping not included



Cable length: 6.6ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black

Jaima 71 E26

Code Finish
A683-055 ● Beige
A683-056 ● Grey

Materials

Shade: Textilene, inner part in white



Product type: Pendant

Light Source: E26 LED Globe (ø120) 22W

Weight: Net 6.17 lb – Gross 16.5 lb

Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black

Jaima 43 IP65

Code
A683-059
A683-060


Finish
● Beige
● Grey



Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC TRIAC 15W 528lm
Weight: Net 4 lb – Gross 8.1lb
Package: 17.3 x 17.7 x 15.4 " – 11 lb Vol – 2.8 ft³
LED included




Dimmable

Suitable for
wet locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Jaima 54 IP65

Code
A683-063
A683-064


Finish
● Beige
● Grey



Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC TRIAC 15W 513lm
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1 " – 11 lb Vol – 4.95 ft³
LED included



Dimmable

Suitable for
wet locations



Cable length: 6.6ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima 71 IP65

Code	Finish
A683-067	● Beige
A683-068	● Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC TRIAC 15W 530lm
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³
LED included



Dimmable

Suitable for wet locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima P207 + Shade 43


Code	Finish
Structure E26	
A683-070	● Black (RAL 9005)
Structure LED IP65	
A683-071	● Black (RAL 9005)

Shade 43	Finish
A683-029	● Beige
A683-030	● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Yes
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC TRIAC 15W 528lm
Weight: Net 9 lb – Gross 22.7 lb
Package: 85.4 x 18.9 x 9" – 178.7 lb Vol – 8.47 ft³
17.7 x 17.7 x 15.35" – 5.51 lb Vol – 2.83 ft³
LED included



Suitable for wet locations



Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 104.

Cable length: 9.2 ft
Wire installation: Plug-in
Cord color: Black




Jaima P307 + Shade 54

Code Finish
 Structure E26
 A683-072 ● Black (RAL 9005)
 Structure LED IP65
 A683-073 ● Black (RAL 9005)

Shade 54
 A683-037 ● Beige
 A683-038 ● Grey

Materials
 Shade: Textilene, inner part in white
 Structure: Stainless steel
 Extensible stem: Carbon fiber
 Dimmable: Yes
 Integrated dimmer: No

Product type: Floor
 Light Source: E26 LED Globe (ø120) 22W
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaire: 120VAC TRIAC 15W 513lm
 Weight: Net 10.36 lb – Gross 27.5 lb
 Package: 109 x 19 x 9 " – 19.82 lb Vol – 10.59 ft³
 21.7 x 21.7 x 17.7 " – 7.7 lb Vol – 14.8 ft³
 LED included



Suitable for wet locations



Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 104.

Cable length: min 6.6 ft - max 9.2 ft
 Wire installation: Plug-in
 Cord color: Black




Jaima P307 + Shade 71

Code Finish
 Structure E26
 A683-072 ● Black (RAL 9005)
 Structure LED IP65
 A683-073 ● Black (RAL 9005) ➔

Shade 71
 A683-041 ● Beige
 A683-042 ● Grey ➔

Materials
 Shade: Textilene, inner part in white
 Structure: Stainless steel
 Extensible stem: Carbon fiber
 Dimmable: Yes
 Integrated dimmer: No

Product type: Floor
 Light Source: E26 LED Globe (ø120) 22W
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaire: 120 VAC TRIAC 15W 530lm
 Weight: Net 10.5 lb – Gross 33 lb
 Package: 109 x 27.5 x 24.6 " – 15.4 lb Vol – 10.947 ft³
 27.9 x 27.9 x 24.8 " – 13.2 lb Vol – 10.6 ft³
 LED included



Suitable for wet locations



Product notes: a floor base 70 or a fixed stem needs to be purchased. See page 104.

Cable length: min 6.6 ft - max 9.2 ft
 Wire installation: Plug-in
 Cord color: Black




49 base + stem

Code A683-033 Finish Concrete - Black (RAL 9005)



Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 31.5 lb – Gross 37.91 lb
Package: 12.2 x 7.1 x 6.7 " - 4.8 lb – Vol -0,31 ft³
24.8 x 24.8 x 2.7 " - 33.1 lb – Vol -0,95 ft³
Product notes: Base only compatible with Jaima P207




70 base + stem

Code A683-044 Finish Concrete and black (RAL 9005)



Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 81.1 lb – Gross 113.9 lb
Package: 29.5 x 29.5 x 7.48 " - 77.2 lb – Vol -3.7 ft³
12.2 x 7.08 x 6.69 " - 4.85 lb – Vol -0.31 ft³
Product notes: Base only compatible with Jaima P307




Fixed stem

Code A683-032 Finish Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 4.18 " – Gross 5,07 "
Package: 12.2 x 7.08 x 6.69 " - 4.8 lb – Vol -0.31 ft³
Product notes: Compatible with Jaima P207 and P307.






Lab 2 2020

Code A646-191 Finish ● Graphite grey (RAL 7024)

Materials Dimmable: No
Structure: Injected aluminum
Lids: Metal, wood (see next page)

Product type: Wall
Light source: LED SMD 24Vdc 7.4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8.47W 322lm
Weight: Net 1.91 lb – Gross 2.20 lb
Package: 5.9 x 5.9 x 5.1" – 2.2 lb Vol – 0,106 ft³



Suitable for wet locations




cULus Under approval process. For latest certification status check the spec sheet.

Wire installation: Hardwired



Lid

Code	Finish
A646-005	● White (RAL 9003)
A646-022	● Brown (RAL 8019)
A646-023	● Rust brown
A646-007	● Dark iroko




Materials

Structure: Injected aluminum
Lids: Metal, wood

Product type: Accessory

Signage Lid

Code	Finish
-	3 - 10 units
-	11 - 25 units
-	26 or more units



Product type: Accessory

Product Notes: Minimum order of 3pcs.
Available upon request, Lab 2 only.

Lab A 35

Code	Finish
A646-160	● White (RAL 7024-9003)
A646-161	● Brown (RAL 7024-8019)
A646-162	● Rust brown
A646-163	● Dark iroko

Materials

Structure: Aluminum
Lids: Metal, wood

Dimmable: No


Product type: Wall

Light Source: LED SMD 700mA 4W 2700K CRI80 320lm

Luminaire: 100-277 VAC 6.2W

Weight: Net 3.08 lb – Gross 5.07 lb

Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft³



Suitable for wet locations



cULus Under approval process. For latest certification status check the spec sheet.




Wire installation: Hardwired

Lab B 35


Code	Finish
A646-170	● White (RAL 7024-9003)
A646-171	● Brown (RAL 7024-8019)
A646-172	● Rust brown
A646-173	● Dark iroko

Materials Dimmable: No
Structure: Aluminum
Lids: Metal, wood

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft³



Suitable for wet locations

 Under approval process. For latest certification status check the spec sheet.

Wire installation: Hardwired




Lab B 60


Code	Finish
A646-180	● White (RAL 7024-9003)
A646-181	● Brown (RAL 7024-8019)
A646-182	● Rust brown
A646-183	● Dark iroko

Materials Dimmable: No
Structure: Aluminum
Lids: Metal, wood

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 5.51 lb – Gross 7.71 lb
Package: 7.08 x 5.11 x 27.6" – 7.71 lb Vol – 0.70 ft³



Suitable for wet locations

 Under approval process. For latest certification status check the spec sheet.

Wire installation: Hardwired




Ground fixation plate

Code A646-067 Finish ● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0.57 lb – Gross 0.7 lb
Package: 9 x 10 x 21" - 0.7 lb – Vol - 0.70 ft³



Ledtube, Daniel López

Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed vertically

or horizontally, adapting to the needs of your space. Now we present a new surface edition, just as functional but more compact. The switch is integrated in the base, maximum ergonomic design, with absolute flexibility to move it in any direction.




Ledtube RSC

Code	Finish	
A622-084	● Aluminum	↕
A622-089	● Bronze	↕
A622-087	● Matte white (RAL 9010)	↕
A622-088	● Matte black (RAL 9005)	↕

Materials: Dimmable: No
 Structure: Injected aluminum
 Frontal: Transparent polycarbonate

Product type: Wall
 Light Source: LED SMD 700mA 2.3W 2700K CRI80 226.5lm
 Luminaire: 100 - 240 VAC 3.6W 131lm
 Weight: Net 1.43 lb – Gross 1.76 lb
 Package: 7.9 x 4.7 x 3.1" – 1.7 lb Vol – 0.075 ft³
 Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to re glare.
 LED included



Wire installation: Hardwired




Ledtube RSC USB

Code	Finish
A622-201	● Aluminum
A622-202	● Bronze
A622-203	● Matte white (RAL 9010)
A622-204	● Matte black (RAL 9005)


Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 10W 131lm
Weight: Net 1.91 lb – Gross 2.20 lb
Package: 4.3 x 8.3 x 3.5" – 1.8 lb Vol – 0.08 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare. Incorporated USB on fixture face.
LED included



Wire installation: Hardwired




Ledtube R right

Code	Finish
A622-125	● Aluminum
A622-128	● Bronze
A622-126	● Matte white (RAL 9010)
A622-127	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube R left

Code	Finish
A622-129	● Aluminum
A622-132	● Bronze
A622-130	● Matte white (RAL 9010)
A622-131	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube A

Code	Finish
A622-180-17-27K	● Aluminum
A622-180-18-27K	● Bronze
A622-180-35-27K	● Matte white (RAL 9010)
A622-180-39-27K	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI80 226.5lm
Luminaire: 100 - 240 VAC 4.25W 131lm
Weight: Net 1 lb – Gross 1.23 lb
Package: 8.26 x 4.72 x 3.54" – 0.66 lb Vol – 0.07 ft³
Product notes: Lens at 25° with a honeycomb grill to reduce glare.
Integrated switch
LED included



Wire installation: Hardwired




Ledtube mini

Code	Finish
A622-205	● Aluminum
A622-206	● Bronze
A622-207	● Matte white (RAL 9010)
A622-208	● Matte black (RAL 9005)

Materials Dimmable: No

Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI80 199.4lm
Luminaire: 100 - 277 VAC 3.6W 45lm
Weight: Net 0.81 lb – Gross 1.14 lb
Package: 8.26 x 4.72 x 3.54 cm – 1.14 lb Vol – 0.07ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25° with a honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired





Mercer M

Code

A89-018

A89-079

Finish

● Pleated white cotton

● Pearl white



Materials

Shade: Textile

Structure: Blown glass

Diffuser: Opal disc

Integrated dimmer: Yes

Dimmer Type: Progressive in-line dimmer


Product type: Table

Light source: E26 TYPE A19 100W

Weight: Net 11 lb - Gross 9.9 lb

Package: 22 x 14.9 x 15.7" - 9.9 lb Vol - 3.17 ft³

Lamping not included



Dimmer



Cable length: 5 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



Mercer


Code
A89-006
A89-078

Finish
● Pleated white cotton
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A21 100W
Weight: Net 11 lb – Gross 15.4 lb
Package: 26 x 19.2 x 19.2" – 17.6 lb Vol – 5.579 ft³
Lamping not included



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Mercer 30

Code
A89-054
A89-082

Finish
● Pleated white cotton
● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 8.1 lb
Package: 14.9 x 14.9 x 17" – 9.9 lb Vol – 2.1 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Mercer 44

Code	Finish
A89-020	● Pleated white cotton
A89-083	● Pearl white



Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E26 LED TYPE A 11W
Weight: Net 17.2 lb – Gross 22 lb
Package: 22 x 22 x 18.9" – 22 lb Vol – 5.29 ft³
Lamping not included




Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

Mercer A

Code	Finish
A89-065	● Pleated white cotton
A89-084	● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wall bracket: Chromed iron

Product type: Wall
Light source: E12 LED candle 5W
Weight: Net 3 lb – Gross 4.4 lb
Package: 12.6 x 13 x 11" – 3.3 lb Vol – 1.06 ft³
Lamping not included




Wire installation: Hardwired

Mercer C

Code	Finish	
A89-067	● Pleated white cotton	➤
A89-085	● Pearl white	

Materials
 Shade: Textile
 Structure: Blown glass

Product type: Ceiling
 Light source: 2x E26 LED TYPE A 11W
 Weight: Net 9.92 lb – Gross 13.22 lb
 Package: 22.8 x 22.8 x 14.2" – 13 lb Vol – 3.5 ft³
 Lamping not included



Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer 53	-	Glass
A89-505	Mercer Susp 30	-	Glass
A89-503	Mercer Susp 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

Milana 32


Code
A699-106
A699-107

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 1.91 lb – Gross 3.35 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
LED included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Milana 47


Code
A699-111
A699-112

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC TRIAC 11W 340lm
Weight: Net 2.86 lb – Gross 5.07 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
LED included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Milana Counterweight


Code
 A699-116
 A699-117

Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC TRIAC 11W 340lm
 Weight: Net 2.2 lb – Gross 2.86 lb
 Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³
 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 17.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
 LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Milana 32 Counterweight


Code
 A699-121
 A699-122

Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC TRIAC 11W 340lm
 Weight: Net 3.52 lb – Gross 5.3 lb
 Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³
 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
 7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
 LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Milana 47 Counterweight

Code
 A699-126
 A699-127


Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC TRIAC 11W 340lm
 Weight: Net 5.07 lb – Gross 7.50 lb
 Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³
 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³
 7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³

LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade



MVV, Manuel Valls

The MVV story begins in the 1970s. This new suspension lamp is a first, and was designed but never produced by Manuel Valls Vergés, one of Spain's most notable architects at the time and partner of Jose Antonio Coderch for 15 years, alongside

whom he undertook such prominent projects as the Ugalde house, near Barcelona. The MVV name reflects Vergés' initials, as a way of displaying his authorship of this unique lamp, produced for the first time by Marset.



Discover more at marset.com

MVV 45


Code A688-002 Finish ● Cherry wood

Materials


Structure: Steel, Polycarbonate
Shade: PET with cherry wood on the outside and a white interior
Diffuser: Transparent methacrylate

Product type: Pendant

Light source: E26 LED STANDARD 8W
Weight: Net 4.2 lb – Gross 5.07 lb
Package: 17 x 18.9 x 3.5" – 4.8 lb Vol – 0.7 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Spare parts

Code
R688-001
R688-002

Product
MVV
MVV

Finish
Cherry wood EXT (B)
Cherry wood INT (A)

Spare part
Shade
Shade



N. Ocho, Christophe Mathieu

The wooden sphere of the N. Ocho's lampshade is handcrafted, giving each fixture a human touch. Its smooth texture has the quality and feel of a billiard ball, while its flexible arm, covered in braided fabric, is a mainstay that improves its look without

sacrificing its efficacy. The N. Ocho was designed to be placed at the head of a bed and add comfort to the bedroom, a place dedicated to restfulness, where a good book is always healthier than a sleeping pill.



N. Ocho

Code
A670-003
A670-004


Finish
● Oak
● Wenge

➤


Materials
Plate: Metal
Arm: Metal covered in braided fabric
Diffuser: Wood

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI80 226,5lm
Luminaire: 120 - 277 VAC 3.5W
Weight: Net 1.36 lb – Gross 2.2 lb
Package: 27.2 x 6.7 x 4" – 2.2 lb Vol – 0.35 ft³
LED included



Wire installation: Hardwired
Switch location: Canopy
Canopy color: Black



Piola, Christophe Mathieu

The Piola collection is about imitating this fluidity of infinite movement, in search of a balance between the diffusion of light and the creation of shadows. The fixture's spiraling form breaks with the monotony of cleanly ordered lines, offering a different

face from every angle. At the same time, the central column provides a symmetry and solidity that supports and reinforces the visual movement of the screen.



Discover more at marset.com

Piola


Code A682-005 Finish ● White



Materials
 Structure: Polycarbonate
 Shade: Laminated band made of PVC and polyester
 Stem: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC TRIAC 16W 810lm
 Weight: Net 7 lb – Gross 13 lb
 Package: 28.3 x 15 x 9.8" – 13.2 lb Vol – 2.42 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Plaff-on!, Joan Gaspar

A good design is one that endures. So it is with Plaff-on!, a lamp that has been illuminating walls and ceilings for almost ten years. Its hand-blown white glass diffuser appears to float, detaching from the ceiling and the circumference that

surrounds it, and its light filters upward to create a luminous halo. Indoors, outdoors, with or without signage, the Plaff-on! now offers multiple options in one lamp that can now conquer the outdoors as well. .



Plaff-on! 16 IP65


Code A628-051
Finish ● Black

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Available upon request:
on/off
0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 225lm
Weight: Net 1.76 lb – Gross 2.65 lb
Package: 8.6 x 8.6 x 6.7" – 2.6 lb Vol – 0,28 ft³
LED included



Dimmable

ADA

Suitable for
wet locations




Wire installation: Hardwired



Signage Lid

Code	Description
-	3 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory
 Product Notes: Minimum order of 3pcs.
 Available upon request.



Plaff-on! 33 LED IP54


Code	Finish	CCT
A628-062	● Black	27K
A628-062-3CCT	● Black	27K - 30K - 40K

Materials
 Structure: Aluminum
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 23W 2700K CRI90 2654lm
 Luminaire: Only 120 VAC TRIAC 28W 1941lm
 120 - 277 VAC 0-10V 28W 1941lm

For 3CCT
 Light source: LED SMD 700mA 23W 2700-4000K CRI90 2654lm
 Luminaire: Only 120 VAC TRIAC 28W 1941lm
 120 - 277 VAC 0-10V 28W 1941lm
 Weight: Net 8.8 lb – Gross 9.9 lb
 Package: 15.7 x 15.7 x 8.3 " – 9.9 lb Vol – 1.05 ft³
 LED included



Dimmable

Suitable for damp locations



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.


Plaff-on! 33

Code A628-059 Finish ● Black



Materials
Structure: Aluminum
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 2x E26 LED TYPE A 11W
Weight: Net 9 lb – Gross 9.9 lb
Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft³
Lamping not included



Wire installation: Hardwired




Plaff-on! 50 LED IP54

Code A628-063 Finish ● Black CCT 27K
A628-063-3CCT ● Black 27K - 30K - 40K

Materials Dimmable: Yes
Structure: Aluminum Integrated dimmer: No
Shade: Opal blown glass Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 700mA 29W 2700K CRI90 3318lm
Luminaire: Only 120 VAC TRIAC 36W 2172lm
120 - 277 VAC 0-10V 36W 2172lm
For 3CCT
Light source: LED SMD 700mA 29W 2700-4000K CRI90 3318lm
Luminaire: Only 120 VAC TRIAC 36W 2172lm
120 - 277 VAC 0-10V 36W 2172lm
Weight: Net 15.87 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 9.8" – 18.7 lb Vol – 3.18 ft³
LED included



Suitable for damp locations



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.



Plaff-on! 50

Code A628-060 Finish ● Black



Materials

Structure: Aluminum
Shade: Opal blown glass


Product type: Wall / Ceiling

Light source: 4x E26 LED TYPE A 11W

Weight: Net 14.55 lb – Gross 18.7 lb

Package: 23.6 x 23.6 x 9.8 " - 18.7 lb Vol - 3,18 ft³

Lamping not included



Wire installation: Hardwired

Plaff-on! A IP65

Code A628-161 Finish ● Black

Materials

Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Wall


Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 120 VAC TRIAC 8.7W 225lm

Weight: Net 1.76 lb – Gross 2.64 lb

Package: 8.7 x 8.7 x 6.5 " – 2.64 lb Vol – 0,28 ft³

LED included



Dimmable

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.




Wire installation: Hardwired

Plaff-on! B IP65


Code A628-164 Finish ● Black

Materials Dimmable: No
 Structure: Aluminum
 Shade: Opal blown glass

Product type: Wall
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC TRIAC 8.7W 225lm
 Weight: Net 4 lb – Gross 7.5 lb
 Package: 9.25 x 32.7 x 13.2 " – 7.5 lb Vol – 2.47 ft³
 LED included



Suitable for wet locations

 Under approval process. For latest certification status check the spec sheet.




Wire installation: Hardwired

Ground fixation plate

Code A628-071 Finish ● Stainless steel

Materials
 Structure: Stainless steel 316L

Product type: Accessory for Plaff-on! B IP65
 Weight: Net 0.45 lb – Gross 1.85 lb
 Package: 10.2 x 10.2 x 7.9 " – 1.85 lb – Vol - 4.6 ft³




Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base. The alchemy of the craft process leaves unpredictable traces, small marks in the

metal glaze, tiny cracks in the polish... little flaws that mark the unique personality of every lamp.




Pleat Box 13

Code	Finish
A636-025	● White - White
A636-026	● White - Gold
A636-027	● Grey - White
A636-028	● Grey - Gold
A636-029	● Terracotta - White
A636-030	● Terracotta - Gold
A636-105	● Black - White
A636-106	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
Light source: E26 LED TYPE A 11
Weight: Net 3.1 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 20.8" – 4.4 lb Vol – 1.06 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Transparent
 Canopy color: Same color as chosen shade

Pleat Box 13 LED

Code	Finish
A636-240	● White - White
A636-241	● White - Gold
A636-242	● Grey - White
A636-243	● Grey - Gold
A636-244	● Terracotta - White
A636-245	● Terracotta - Gold
A636-246	● Black - White
A636-247	● Black - Gold

Materials Dimmable: No

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Cord: Fabric

Product type: Pendant


Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm

Luminaire: 90 - 264 VAC 6W 165lm

Weight: Net 3.63 lb – Gross 5 lb

Package: 9.4 x 9.4 x 20.8 " – 5 lb Vol – 1.06 ft³

LED included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade



Pleat Box 24

Code	Finish
A636-031	● White - White
A636-032	● White - Gold
A636-033	● Grey - White
A636-034	● Grey - Gold
A636-035	● Terracotta - White
A636-036	● Terracotta - Gold
A636-109	● Black - White
A636-110	● Black - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Cord: Fabric


Product type: Pendant

Light source: E26 LED TYPE A 11

Weight: Net 4.2 lb– Gross 5.5 lb

Package: 14.2 x 14.2 x 11.8 " – 5.5 lb Vol – 1.412 ft³

Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Transparent
 Canopy color: Same color as chosen shade




Pleat Box 24 LED

Code	Finish	
A636-250	● White - White	☞
A636-251	● White - Gold	
A636-252	● Grey - White	☞
A636-253	● Grey - Gold	
A636-254	● Terracotta - White	
A636-255	● Terracotta - Gold	
A636-256	● Black - White	
A636-257	● Black - Gold	

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC TRIAC 14W 113lm
 Weight: Net 4.2 lb - Gross 5.5 lb
 Package: 14.2 x 14.2 x 11.8 " - 5.5 lb Vol - 1.412 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade




Pleat Box 36

Code	Finish
A636-037	● White - White
A636-038	● White - Gold
A636-039	● Grey - White
A636-040	● Grey - Gold
A636-041	● Terracotta - White
A636-042	● Terracotta - Gold
A636-113	● Black - White
A636-114	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
 Light source: E12 LED TYPE G16.5 5W
 Weight: Net 5.7 lb - Gross 9.5 lb
 Package: 19.3 x 19.3 x 11.4 " - 9.5 lb Vol - 2.47 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Transparent
 Canopy color: Same color as chosen shade



Pleat Box 36 LED


Code	Finish
A636-260	● White - White
A636-261	● White - Gold
A636-262	● Grey - White
A636-263	● Grey - Gold
A636-264	● Terracotta - White
A636-265	● Terracotta - Gold
A636-266	● Black - White
A636-267	● Black - Gold



Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)


Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC TRIAC 14W 233lm
 Weight: Net 7 lb – Gross 9.5 lb
 Package: 19.3 x 19.3 x 11.4" – 9.5 lb Vol – 2.47 ft³
 LED included



Dimmable



Cable length: 6 ft
 Wire installation: Hardwired
 Cord color: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade




Pleat Box 47

Code	Finish
A636-043	● White - White
A636-044	● White - Gold
A636-045	● Grey - White
A636-046	● Grey - Gold
A636-047	● Terracotta - White
A636-048	● Terracotta - Gold
A636-117	● Black - White
A636-118	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
 Light source: E26 LED TYPE A 11W
 Weight: Net 10.2 lb – Gross 13.2 lb
 Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Transparent
 Canopy color: Same color as chosen shade




Pleat Box 47 LED

Code	Finish
A636-270	● White - White
A636-271	● White - Gold
A636-272	● Grey - White
A636-273	● Grey - Gold
A636-274	● Terracotta - White
A636-275	● Terracotta - Gold
A636-276	● Black - White
A636-277	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)


Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC TRIAC 21W 625lm
 Weight: Net 10.2 lb – Gross 13.2 lb
 Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade



Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White-White	Shade
R636-026	Pleat Box 13	White-Gold	Shade
R636-028	Pleat Box 13	Grey-White	Shade
R636-029	Pleat Box 13	Grey-Gold	Shade
R636-030	Pleat Box 13	Terracotta-White	Shade
R636-031	Pleat Box 13	Terracotta-Gold	Shade
R636-032	Pleat Box 13	Black-White	Shade
R636-034	Pleat Box 13	Black-Gold	Shade
R636-017	Pleat Box 24	White-White	Shade
R636-016	Pleat Box 24	White-Gold	Shade
R636-018	Pleat Box 24	Grey-White	Shade
R636-040	Pleat Box 24	Grey-Gold	Shade
R636-019	Pleat Box 24	Terracotta-White	Shade
R636-020	Pleat Box 24	Terracotta-Gold	Shade
R636-021	Pleat Box 24	Black-White	Shade
R636-022	Pleat Box 24	Black-Gold	Shade
R636-041	Pleat Box 36	White-White	Shade
R636-046	Pleat Box 36	White-Gold	Shade
R636-042	Pleat Box 36	Grey-White	Shade
R636-047	Pleat Box 36	Grey-Gold	Shade
R636-043	Pleat Box 36	Terracotta-White	Shade
R636-048	Pleat Box 36	Terracotta-Gold	Shade
R636-044	Pleat Box 36	Black-White	Shade
R636-049	Pleat Box 36	Black-Gold	Shade
R636-014	Pleat Box 47	White-White	Shade
R636-055	Pleat Box 47	White-Gold	Shade
R636-051	Pleat Box 47	Grey-White	Shade
R636-056	Pleat Box 47	Grey-Gold	Shade
R636-052	Pleat Box 47	Terracotta-White	Shade
R636-057	Pleat Box 47	Terracotta-Gold	Shade
R636-053	Pleat Box 47	Black-White	Shade
R636-058	Pleat Box 47	Black-Gold	Shade



Polo, Joan Gaspar

The fluidity of its movements and its integrated LED technology make the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminum and a rotary switch located at the top of the shade.



Polo


Code
A642-011

Finish
● Black (RAL 9005)

Materials
Diffuser: Aluminum
Body: Aluminum

Dimmable: No

Product type: Table
Light Source: LED SMD 350mA 6.3W 3000K CRI80 532.4lm
Luminaire: 100 - 240 VAC 9W 441lm
Weight: Net 1.55 lb – Gross 4 lb
Package: 20.8 x 14 x 4.3" – 4.4 lb Vol – 0.67 ft³
Product notes: Reflector with 80° degree aperture.
Must be combined with base or floor base.
LED included



Cable length: 7.25 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the shade





Base

Code A642-003
Finish ● Black (RAL 9005)

Materials
Base: Metal with a polycarbonate cover

Product type: Accessory
Weight: Net 8.6 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 4.7" - 4.4 lb – Vol - 0.24 ft³



Floor base

Code A642-020
Finish ● Black (RAL 9005)


Materials
Structure: Aluminum

Product type: Accessory
Weight: Net 11.90 lb – Gross 15.4 lb
Package: 13.4 x 13.4 x 1.18" - 13.2 lb – Vol - 0.11 ft³
Ø1.57 x 26" - 2.2 lb – Vol - 0.01 ft³



The Roc is a compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade blurs and softens the light, creating a unique ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.



Roc IP65


Code A701-002 Finish ● Black

Materials
Structure: Aluminum
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Available upon request:
on/off
0-10V (120-277V)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC TRIAC 8.7W 250lm
Weight: Net 3.1 lb – Gross 3.7 lb
Package: 8.3 x 13.4 x 3.1" – 4.2 lb Vol – 0.18 ft³
LED included



Dimmable

ADA

Suitable for wet locations



Wire installation: Hardwired



Santorini, Sputnik Estudio

Inspired by the lanterns found on fishing boats, this collection of outdoor customizable lamps allows you to create multiple compositions. Users can choose

how many shades to place on the diffuser, along with their order, position and direction. This interplay of combinations yields a rich array of direct or reflected light.



Santorini

Code	Finish
A654-011	● White (RAL 9003)
A654-012	● Grey (RAL 7039)
A654-013	● Mustard (RAL 1032)



Materials

Structure: Polycarbonate
Shade: Blown pressed glass


Product type: Pendant

Light source: E26 TYPE A19 8W

Weight: Net 3.1 lb – Gross 4.9 lb

Package: 16.1 x 10.2 x 9.4" – 4.9 lb Vol – 0.81 ft³

Lamping not included



Suitable for
wet locations



Cable length: 15 ft
Wire installation: Plug-in
Cord color: Black





Santorini A Fixed Stem

Code	Finish
A654-030	White (RAL 9003)
A654-031	Grey (RAL 7039)
A654-032	Mustard (RAL 1032)



Materials

Structure: Polycarbonate
 Shade: Blown pressed glass
 Support: Stainless anti-oxidant
 cataphoresis treatment


Product type: Wall

Light source: E26 LED TYPE A19 8W

Weight: Net 3.3 lb – Gross 5.3 lb

Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³

Lamping not included



Suitable for
wet locations



Wire installation: Hardwired

Santorini C

Code	Finish
A654-033	White (RAL 9003)
A654-034	Grey (RAL 7039)
A654-035	Mustard (RAL 1032)



Materials

Structure: Polycarbonate
 Shade: Blown pressed glass
 Support: Stainless anti-oxidant
 cataphoresis treatment


Product type: Ceiling

Light source: E26 LED TYPE A19 8W

Weight: Net 3.1 lb – Gross 5.3 lb

Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³

Lamping not included



Suitable for
wet locations




Wire installation: Hardwired

Garland accessory

Code A654-045 Finish ● Grey

Product type: Accessory




Wall bracket

Code A654-005 Finish ● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0.67" lb – Gross 1.1 lb
Package: 5.5 x 5.5 x 11.22" - 1.1 lb – Vol - 0.2 ft³




Santorini with Canopy IP65

Code A654-039 Finish ● White (RAL 9003)
A654-040 ● Grey (RAL 7039)
A654-041 ● Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 TYPE A19 8W
Weight: Net 3.1 lb – Gross 4.9 lb
Package: 20.47" x 12.99" x 9.84" - 4.41lb VOL - 1.48ft³
6.2" x 4.7" x 4.7" - 0.66lb VOL - 0.07ft³
Lamping not included



Suitable for wet locations



Cable length: 14.76 ft
Wire installation: Hardwired
Cord color: Black

Floor accessory

Code A654-009
Finish ● Grey (RAL 7039)



Materials


Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment



Product type: Accessory

Weight: Net 14.8 lb – Gross 17.2 lb

Package: 9.8 x 2 x 70.5" - 4.4 lb - Vol - 0.77 ft³
14.5 x 14.5 x 2 cm - 9.9 lb - Vol - 0.21 ft³



Santorini Indoor

Code A654-054
A654-055
A654-056
A654-057
Finish ● Light green (PANTONE 5517U)
● Sand (RAL 1001)
● Off-white (RAL 1013)
● Pale pink (PANTONE 939C)

Materials

Structure: Polycarbonate

Shade: Blown pressed glass


Product type: Pendant

Light source: E26 LED TYPE A19 8W

Weight: Net 2.9 lb – Gross 4.4 lb

Package: 20.47" x 12.99" x 9.84" - 4.41lb VOL - 1.48ft³
6.2" x 4.7" x 4.7" - 0.66lb VOL - 0.07ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: Black fabric electrical cord

Canopy color: Black



Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade






Scantling P73

Code A626-009 Finish ● White (RAL 9001)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 16.5 lb – Gross 23.5 lb
Package: 18.1 x 57.7 x 6.7" – 12.2 lb Vol – 4.04 ft³
 11.8 x 11.8 x 8.6" – 12.2 lb Vol – 0.69 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black fabric electrical cord
Switch location: Shade




Scantling S

Code A626-013 Finish
● White (RAL 9001)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminum

Product type: Table
Light source: E26 LED TYPE A 11W
Weight: Net 7.9 lb – Gross 11.6 lb
Package: 28 x 15.7 x 7" – 11 lb Vol – 1.8 ft³
Lamping not included



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black fabric electrical cord
Switch location: Shade




Scantling A

Code A626-015 Finish
● White (RAL 9001)



Materials
Structure: Iron
Arm: Oak
Shade: Aluminum

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 1.76 lb – Gross 3.1 lb
Package: 13.8 x 11.8 x 7" – 3.1 lb Vol – 0.7 ft³
Lamping not included



Wire installation: Hardwired
Switch location: Canopy



The warmth of the fixture's ceramics contrasts with the faceted edges of the sphere, making it seem as if it is winking playfully. Made using a meticulous, traditional design

process, the lamps are fired four times – using glazes specifically developed for this collection – and incorporate warm, high-quality materials, such as gold.



Scotch Club 17

Code	Finish
A656-041	● White - White
A656-042	● White - Gold
A656-045	● Terracotta - White
A656-046	● Terracotta - Gold
A656-047	● Black - White
A656-048	● Black - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric



Product type: Pendant

Light source: G9 Bipin T4 60W

Weight: Net 2.9 lb – Gross 4.4 lb

Package: 17.7 x 9.8 x 10.6" – 4.4 lb Vol – 1.05 ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade

Scotch Club 26

Code	Finish
A656-097	● White - White
A656-098	● White - Gold
A656-101	● Terracotta - White
A656-102	● Terracotta - Gold
A656-103	● Black - White
A656-104	● Black - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Cord: Fabric


Product type: Pendant

Light source: E26 LED TYPE A 11W

Weight: Net 5.3 lb – Gross 7.3 lb

Package: 13.8 x 13.4 x 15.7 " – 4.4 lb Vol – 1.8 ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade



Scotch Club 41

Code	Finish
A656-105	● White - White
A656-106	● White - Gold
A656-109	● Terracotta - White
A656-110	● Terracotta - Gold
A656-111	● Black - White
A656-112	● Black - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Cord: Fabric


Product type: Pendant

Light source: E26 LED TYPE A 11W

Weight: Net 13.2 lb – Gross 17.6 lb

Package: 23.2 x 23.6 x 23.2 " – 17.6 lb Vol – 7 ft³

Lamping not included




Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade



Scotch Club A 30

Code	Finish
A656-065	● White - White
A656-066	● White - Gold
A656-069	● Terracotta - White
A656-070	● Terracotta - Gold
A656-071	● Black - White
A656-072	● Black - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold


Product type: Wall

Light source: 2x G9 Bipin T4 40W

Weight: Net 3.5 lb – Gross 5.3 lb

Package: 14.2 x 14.2 x 11.4 " – 5.5 lb Vol – 1.3 ft³

Lamping not included



Wire installation: Hardwired

Scotch Club C

Code	Finish
A656-073	● White - White
A656-074	● White - Gold
A656-077	● Terracotta - White
A656-078	● Terracotta - Gold
A656-079	● Black - White
A656-080	● Black - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold


Product type: Wall

Light source: G9 Bipin T4 40W

Weight: Net 1.76 lb – Gross 2.64 lb

Package: 8.7 x 9.8 x 9 " – 2.64 lb Vol – 0.35 ft³

Lamping not included



Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
R656-014	Scotch Club 17	White-White	Shade
R656-015	Scotch Club 17	White-Gold	Shade
R656-016	Scotch Club 17	Terracotta-White	Shade
R656-017	Scotch Club 17	Terracotta-Gold	Shade
R656-018	Scotch Club 17	Black-White	Shade
R656-019	Scotch Club 17	Black-Gold	Shade
R656-020	Scotch Club 26	White-White	Shade
R656-021	Scotch Club 26	White-Gold	Shade
R656-022	Scotch Club 26	Terracotta-White	Shade
R656-023	Scotch Club 26	Terracotta-Gold	Shade
R656-024	Scotch Club 26	Black-White	Shade
R656-002	Scotch Club 26	Black-Gold	Shade
R656-004	Scotch Club 41	White-White	Shade
R656-005	Scotch Club 41	White-Gold	Shade
R656-008	Scotch Club 41	Terracotta-White	Shade
R656-009	Scotch Club 41	Terracotta-Gold	Shade
R656-010	Scotch Club 41	Black-White	Shade
R656-011	Scotch Club 41	Black-Gold	Shade
R656-025	Scotch Club A 30	White-White	Shade
R656-026	Scotch Club A 30	White-Gold	Shade
R656-027	Scotch Club A 30	Terracotta-White	Shade
R656-028	Scotch Club A 30	Terracotta-Gold	Shade
R656-029	Scotch Club A 30	Black-White	Shade
R656-030	Scotch Club A 30	Black-Gold	Shade
R656-036	Scotch Club C	White-White	Shade
R656-037	Scotch Club C	White-Gold	Shade
R656-038	Scotch Club C	Terracotta-White	Shade
R656-039	Scotch Club C	Terracotta-Gold	Shade
R656-040	Scotch Club C	Black-White	Shade
R656-041	Scotch Club C	Black-Gold	Shade

Soho, Joan Gaspar

The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.




Soho 38 LED

Code	Finish
A631-235	● White
A631-236	● Stone grey
A631-237	● Black

Materials: Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC TRIAC 16W 1051lm
Weight: Net 5.5 lb – Gross 7.71 lb
Package: 17.3 x 17.7 x 9.4 " – 7.71 lb Vol – 1.76 ft³
LED included



Dimmable

Suitable for damp locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White (white version), Black (all the rest)
Canopy color: White




Soho 57 LED

Code	Finish
A631-356	● White
A631-357	● Stone grey
A631-358	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 28W 2700K CRI80 1848lm
Luminaire: Only 120 VAC TRIAC 36W 1051lm
120 - 277 VAC 0-10V 36W 1051lm
Weight: Net 15.4 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 14.2" – 18.7 lb Vol – 4.7 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for
damp locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White


Soho 112 LED

Code	Finish	
A631-371	● White	
A631-372	● Stone grey	
A631-373	● Black	

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 79.2W 2700K CRI80 1848lm
Luminaire: 120 - 277 VAC 0-10V 95W 1051lm
Weight: Net 60.84 lb – Gross 68.3 lb
Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for
damp locations



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White


Soho C 57 LED

Code	Finish
A631-359	● White
A631-360	● Stone grey
A631-361	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Ceiling
 Light Source: LED SMD 700mA 28W 2700K CRI80 1848lm
 Luminaire: Only 120 VAC TRIAC 36W 1051lm
 120 - 277 VAC 0-10V 36W 1051lm
 Weight: Net 13.9 lb – Gross 15.4 lb
 Package: 23.6 x 23.6 x 8.6" cm – 15.4 lb Vol – 2.79 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for damp locations



Wire installation: Hardwired


Soho C 112 LED

Code	Finish	
A631-374	● White	
A631-375	● Stone grey	
A631-376	● Black	

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Ceiling
 Light Source: LED SMD 700mA 79.2W 2700K CRI80 1848lm
 Luminaire: 120 - 277 VAC 0-10V 95W 1051lm
 Weight: Net 54.7 lb – Gross 59.5 lb
 Package: 45.3 x 45.3 x 15.7" – 59.5 lb Vol – 18.68 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for damp locations



Wire installation: Hardwired


Soho 38 IP44 LED

Code	Finish
A631-245	● White
A631-246	● Stone grey
A631-247	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC TRIAC 16W 1051lm
Weight: Net 5.95 lb – Gross 7.71 lb
Package: 17.7 x 17.3 x 9.84 " – 7.71 lb Vol – 1.76 ft³
LED included



Dimmable

Suitable for
wet locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 57 IP44 LED

Code	Finish
A631-362	● White
A631-363	● Stone grey
A631-364	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (Triac) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC TRIAC 36W 2086lm
120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 15.4 lb – Gross 18.9 lb
Package: 23.6 x 24 x 14.2 " – 18.9 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included



Dimmable




Suitable for
wet locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 112 IP44 LED

Code	Finish	
A631-377	● White	
A631-378	● Stone grey	
A631-379	● Black	

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 79.2W 2700K CRI80 15648lm
 Luminaire: 120 - 277 VAC 0-10V 95W 8085lm
 Weight: Net 60,9 lb – Gross 68.3 lb
 Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White


Soho A LED

Code	Finish
A631-365	● White
A631-366	● Stone grey
A631-367	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Wall
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120V VAC TRIAC 36W 2086lm
 120 - 277V VAC 0-10V 36W 2086lm
 Weight: Net 17,2 lb – Gross 21.4 lb
 Package: 23.62 x 24 x 14.2" – 21.4 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



Wire installation: Hardwired
 Canopy color: Black


Soho C Fixed Stem LED

Code	Finish
A631-368	● White
A631-369	● Stone grey
A631-370	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (Triac) or 0-10V

Product type: Ceiling
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120 VAC TRIAC 36W 2086lm
 120 - 277 VAC 0-10V 36W 2086lm
 Weight: Net 16.8 lb – Gross 17.6 lb
 Package: 23.62 x 23.62 x 14.56 " – 17.6 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for
wet locations



Wire installation: Hardwired
 Canopy color: Black



Soho 38 P LED


Code	Finish
A631-255	● White
A631-256	● Stone grey
A631-257	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Floor
 Light Source: LED SMD 700mA 8.1W 2700K CRI90 913lm
 Luminaire: 120 VAC TRIAC 14W
 Weight: Net 26 lb – Gross 32 lb
 Package: 17.32 x 17.32 x 9.84 " – 6.61 lb Vol – 1.76 ft³
 18.1 x 18.1 x 1.18 " – 19.84 lb Vol – 0.21 ft³
 69.29 x 11.8 x 2.56 " – 6.6 lb Vol – 1.05 ft³

LED included



Dimmable

Suitable for
wet locations




Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black





It's a juicy bunch of grapes, Nick Mason's drums from Pink Floyd, the constellation of Perseus...there are so many examples that could be used to describe the Tam Tam, a new perception in the world of lamps, which extols repetitiveness by focusing on

the archetypal lampshade: a number of light sources pointed in different directions, geometrically arranged to invoke a feeling of organized chaos.




Tam Tam 3

Code	Finish	
Central shade		
A633-102 39	● Black (RAL 9011)	↗
A633-102 35	● Off-White (RAL 1013)	↘
Satellite shade		
A633-101 39	● Black (RAL 9011)	↗
A633-101 35	● Off-white (RAL 1013)	↘
A633-101 46	● Orange (RAL 2000)	
A633-101 47	● Brown Grey (RAL 7013)	
A633-101 45	● Green (RAL 6025)	
A633-101 37	● Sand (RAL 7032)	
A633-101 48	● Blue (RAL 5024)	

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 9x E26 LED TYPE A 11W
Weight: Net 10.4 lb – Gross 18 lb
Package: 22.4 x 22.4 x 15.3" – 13.2 Vol – 4.485 ft³
(3x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
Product notes: Combine 1 central shade and 5 satellite shades.
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White

marset

Tam Tam 5

Code	Finish	
Central shade		
A633-103 39	● Black (RAL 9011)	➤
A633-103 35	● Off-White (RAL 1013)	➤
Satellite shade		
A633-101 39	● Black (RAL 9011)	➤
A633-101 35	● Off-white (RAL 1013)	➤
A633-101 46	● Orange (RAL 2000)	
A633-101 47	● Brown Grey (RAL 7013)	
A633-101 45	● Green (RAL 6025)	
A633-101 37	● Sand (RAL 7032)	
A633-101 48	● Blue (RAL 5024)	

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant

Light source: 13x E26 LED TYPE A 11W


Weight: Net 9.7 lb – Gross 18.07 lb

Package: 22.4 x 22.4 x 15.3" – 13.2 lb Vol – 4.48 ft³

(5x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³

Product notes: Combine 1 central shade and 5 satellite shades.

Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White



Tam Tam Mini

Code	Finish	
Central shade		
A633-112 39	● Black (RAL 9011)	➤
A633-112 35	● Off-White (RAL 1013)	➤
Satellite shade		
A633-011 39	● Black (RAL 9011)	➤
A633-011 35	● Off-white (RAL 1013)	➤
A633-011 46	● Orange (RAL 2000)	➤
A633-011 47	● Brown Grey (RAL 7013)	➤
A633-011 45	● Green (RAL 6025)	➤
A633-011 37	● Sand (RAL 7032)	➤
A633-011 48	● Blue (RAL 5024)	➤

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant

Light source: 5x E12 LEY TYPE G16.5 5W


Weight: Net 6 lb – Gross 9 lb

Package: 17.3 x 17.3 x 11" – 7.5 lb Vol – 1.9 ft³

(3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³

Product notes: Combine 1 central shade and 3 satellite shades.

Lamping not included



Cable length: 8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Tam Tam 4


Code	Finish	
Structure A633-026	● Black (RAL 9011)	➤
Shades		
A633-011 39	● Black (RAL 9011)	➤
A633-011 35	● Off-white (RAL 1013)	➤
A633-011 46	● Orange (RAL 2000)	➤
A633-011 47	● Brown Grey (RAL 7013)	➤
A633-011 45	● Green (RAL 6025)	➤
A633-011 37	● Sand (RAL 7032)	➤
A633-011 48	● Blue (RAL 5024)	➤

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 4x E12 LED TYPE G16.5 5W
Weight: Net 5.3 lb – Gross 11.24 lb
Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³
(4x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 4 satellite shades.
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Tam Tam 6

Code	Finish	
Structure A633-027	● Black (RAL 9011)	➤
Shades		
A633-011 39	● Black (RAL 9011)	➤
A633-011 35	● Off-white (RAL 1013)	➤
A633-011 46	● Orange (RAL 2000)	➤
A633-011 47	● Brown Grey (RAL 7013)	➤
A633-011 45	● Green (RAL 6025)	➤
A633-011 37	● Sand (RAL 7032)	➤
A633-011 48	● Blue (RAL 5024)	➤

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 6x E12 LED TYPE G16.5 5W
Weight: Net 6.6 lb – Gross 14.10 lb
Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³
(6x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 6 satellite shades.
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Tam Tam P

Code Finish
Stem
A633-028 ● Black (RAL 9011)

Shade
A633-011 39 ● Black (RAL 9011)
A633-011 35 ● Off-white (RAL 1013)
A633-011 46 ● Orange (RAL 2000)
A633-011 47 ● Brown Grey (RAL 7013)
A633-011 45 ● Green (RAL 6025)
A633-011 37 ● Sand (RAL 7032)
A633-011 48 ● Blue (RAL 5024)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: E12 LED TYPE G16.5 5W
Weight: Net 6.6 lb – Gross 9.9 lb
Package: 50 x 3.1 x 3.1 " – 3.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18 " – 6.6 lb Vol – 0.1 ft³
 9.4 x 9.4 x 6.7 " – 2.2 lb Vol – 0.317 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Tam Tam P2

Code Finish
Stem
A633-221 ● Black (RAL 9011)

Shade
A633-011 39 ● Black (RAL 9011)
A633-011 35 ● Off-white (RAL 1013)
A633-011 46 ● Orange (RAL 2000)
A633-011 47 ● Brown Grey (RAL 7013)
A633-011 45 ● Green (RAL 6025)
A633-011 37 ● Sand (RAL 7032)
A633-011 48 ● Blue (RAL 5024)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: 2x E12 LED TYPE G16.5 5W
Weight: Net 15.4 lb – Gross 19.84 lb
Package: 66.14 x 7 x 7 " – 8.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18 " – 6.6 lb Vol – 0.1 ft³
 (2x) 9.4 x 9.4 x 6.7 " – 2.2 lb Vol – 0.317 ft³
Product notes: Combine stem with 2 satellite shades.
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Tam Tam P3

Code	Finish	
Stem		
A633-029	● Black (RAL 9011)	➤
Shade		
A633-011 39	● Black (RAL 9011)	➤
A633-011 35	● Off-white (RAL 1013)	➤
A633-011 46	● Orange (RAL 2000)	➤
A633-011 47	● Brown Grey (RAL 7013)	➤
A633-011 45	● Green (RAL 6025)	➤
A633-011 37	● Sand (RAL 7032)	➤
A633-011 48	● Blue (RAL 5024)	➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 3x E12 LED TYPE G16.5 5W
 Weight: Net 15.4 lb – Gross 22.04 lb
 Package: 66.14 x 7 x 7" – 8.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
 (3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³

Product notes: Combine stem with 3 satellite shades.
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



Tam Tam A

Code	Finish	
Base 1		
A633-113 35	● Off-white (RAL 1013)	➤
Shade		
A633-011 39	● Black (RAL 9011)	➤
A633-011 35	● Off-white (RAL 1013)	➤
A633-011 46	● Orange (RAL 2000)	➤
A633-011 47	● Brown Grey (RAL 7013)	➤
A633-011 45	● Green (RAL 6025)	➤
A633-011 37	● Sand (RAL 7032)	➤
A633-011 48	● Blue (RAL 5024)	➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Plate: Metal

Product type: Wall
 Light source: E12 LED TYPE G16.5 5W
 Weight: Net 2.7 lb – Gross 4.40 lb
 Package: 12.2 x 12.2 x 5.1" – 2.2 lb Vol – 0.317 ft³
 9.4 x 9.4 x 6.2" – 2.2 lb Vol – 0.247 ft³

Lamping not included



Wire installation: Hardwired
 Switch location: Backplate




Tam Tam A2

Code	Finish	
Base A633-114 35	● Off-white (RAL 1013)	↗
Shade A633-011 39	● Black (RAL 9011)	↗
A633-011 35	● Off-white (RAL 1013)	↗
A633-011 46	● Orange (RAL 2000)	↗
A633-011 47	● Brown Grey (RAL 7013)	↗
A633-011 45	● Green (RAL 6025)	↗
A633-011 37	● Sand (RAL 7032)	↗
A633-011 48	● Blue (RAL 5024)	↗

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Plate: Metal

Product type: Wall
Light source: 2x E12 LED TYPE G16.5 5W
Weight: Net 3.3 lb – Gross 5.1 lb
Package: 12.2 x 12.2 x 5.1" – 2.9 lb Vol – 0.1 ft³
(2x) 9.4 x 9.4 x 6.7" – 2.2 lb – 0.317 ft³
Product notes: Combine base with 2 satellite shades
Lamping not included



Wire installation: Hardwired



From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use

as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.



Theia M


Code
A672-005
A672-006

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 13 lb – Gross 15.9 lb
Package: 14.1 x 14.1 x 9.44 " – 13.22 lb Vol – 1.06 ft³
17.3 x 7 x 4.7 " – 4.41 lb Vol – 0.35 ft³
LED included



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater



Theia P


Code
A672-007
A672-008

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 15 lb – Gross 19.2 lb
Package: 14.6 x 14.6 x 9" – 13.2 lb Vol – 1.06 ft³
42.7 x 6.7 x 4.7" – 6 lb Vol – 0.7 ft³
LED included



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater



Just as materials and techniques evolve, so do lamps. The TXL managed to light up exteriors with the same warmth as interiors. But "all things must change to stay the same", and so the lamp is updated and presented with a new fabric shade.

This new material better withstands adverse weather conditions and clothes the lamp in a ductile, and yet solid and resilient look.



TXL 2019 205


Code A605-076
A605-077

Finish
● Beige
● Grey

Materials
Base: Concrete
Stem: Stainless steel
Diffuser: White acid etched glass
Shade: Textile with the inner part always in white

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 63.5 lb – Gross 70.5 lb
Package: 16 x 13 x 13" – 5.5 lb Vol – 1.41 ft³
27.6 x 27.6 x 19.7" – 9.7 lb Vol – 8.8 ft³
86.6 x 3.9 x 3.9" – 7.9 lb Vol – 0.7 ft³
26 x 26 x 5.9" – 47.3 lb Vol – 2.11 ft³

Lamping not included





Suitable for wet locations



Cable length: 8 ft
Wire installation: Plug-in
Cord color: Black

TXL 2019 170

Code	Finish	
A605-078	● Beige	
A605-079	● Grey	

Materials

Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textilene with the inner part always in white


Product type: Floor

Light source: 3x E26 LED TYPE A 8W

Weight: Net 46.7 lb – Gross 51.1 lb

Package: 10.6 x 11 x 14.9 " – 4.4 lb Vol – 0.7 ft³
 23.6 x 23.6 x 17.7 " – 7.9 lb Vol – 5.6 ft³
 70.8 x 3.9 x 3.9 " – 6.8 lb Vol – 0.63 ft³
 22.8 x 22.8 x 5.9 " – 31.9 lb Vol – 1.7 ft³

Lamping not included



Suitable for wet locations



Cable length: 8 ft
 Wire installation: Plug-in
 Cord color: Black

Spare parts

Code	Product	Finish	Spare part
A605-102	Txl 205	-	Glass
A605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-005	Txl 2019 205	Grey	Shade
R605-006	Txl 2019 170	Beige	Shade
R605-007	Txl 2019 170	Grey	Shade




Vetra 32

Code	Finish	Dimming
A689-015	● White	Triac
A689-022	● White	0-10V
A689-041	● Amber	Triac
A689-042	● Amber	0-10V

Materials
 Shade: Blown glass
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC TRIAC 14W 350lm
 120 - 277 VAC 0-10V 14W 348lm
 Weight: Net 6.6 lb – Gross 8.8 lb
 Package: 17 x 17 x 11" – 8.8 lb Vol – 1.8 ft³
 LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black


Vetra 43

Code	Finish	Dimming
A689-016	● White	Triac
A689-023	● White	0-10V
A689-043	● Amber	Triac
A689-044	● Amber	0-10V

Materials
 Shade: Blown glass
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC TRIAC 19W 881lm
 120 - 277 VAC 0-10V 19W 881lm
 Weight: Net 12.6 lb – Gross 16.5 lb
 Package: 22.4 x 22.4 x 14.6 " – 6.5 lb Vol – 4.23 ft³
 LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black


Vetra P

Code	Finish
A689-019	● White
A689-020	● Black

Materials
 Base: Iron
 Stem: Iron
 Shade: Blown glass
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 3 positions sensor dimmer.

Product type: Floor
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 90 - 264 VAC 11W 348lm
 Weight: Net 17,4 lb – Gross 22 lb
 Package: 17 x 17 x 11 " – 6.61 lb Vol – 1.8 ft³
 55 x 10 x 10 " – 8.8 lb Vol – 3.17 ft³
 14 x 14 x 2 " – 6.6 lb Vol – 0.778 ft³
 LED included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Switch location: In-line

Spare parts

Code	Product	Finish	Spare part
R689-004	Vetra 32	White	Glass
R689-005	Vetra 32	Amber	Glass
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass





Zenc

Code	Finish
A715-002-35	● White (RAL 1013)
A715-002-38	● Grey (RAL 7022)
A715-002-40	● Red (RAL 3011)
A715-002-48	● Sky Blue (PANTONE 7542C)
A715-002-44	● Pale pink (RAL 010 85 10)
A715-002-42	● Pale yellow (RAL 085 80 30)

Materials

Shade: Bi-injected rotary moulded polyethylene


Product type: Pendant

Light source: E26 Globe (Ø95) 12W

Weight: Net 6.6 lb – Gross 8.6 lb

Package: 20.4 x 20.42 x 14.6" – 8.6 lb Vol – 3.53 ft³

Lamping not included



Cable length: 8 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



Dimmer

Dimmer on the unit.

Dimmable

Product which can be dimmed.



Quick ship item. Always in stock, ships within 5 to 10 days.



Oversized item. Special freight policy applies. Freight assessed separately.

Prices

All prices are in USD, excluding Canadian MAP. Prices do not include tax, shipping, assembly, or installation. Lamping is included for integrated LED fixtures only.

Orders

Purchase orders will only be accepted via email. No handwritten or telephone orders will be accepted. The order will be considered definitive and Marset reserves the right to deny any changes not made within 48 hours of receipt of the Order Confirmation. Modifications include but are not limited to: information on product, availability, quantities, price, payment, transport conditions and any other questions that may arise. Marset reserves the right to reject or cancel an order for any reason. Orders over \$5,000 or containing ten (10) or more of any single item will be considered Project/Contract Orders, and will be treated as distinct from a normal order. The Marset Order Confirmation or Proforma Invoice replaces any previous quotes.

Transport

Marset products ship directly from our factory in Barcelona to the U.S. and Canada only, and within Europe when required. Marset reserves the right to allow shipments to only the country in which the purchasing entity is registered. Marset reserves the right to reject shipping requests to any locations not within the U.S. or Canada. Marset orders ship on Marset accounts, and Marset cannot accommodate ex-works or third-party pickup from factory.

A majority of Marset orders ship via Fedex Express (2nd Day Air), with the breakdown as follows:

- Freight charge for orders under \$1,500 net: \$65 flat fee (\$75 to Hawaii or Alaska)
- Freight charge for orders between \$1,500 and \$4,999 net: \$125 flat fee (some exceptions apply, see below)
- The following items are considered oversized items, and will have freight charges quoted at time of order: Soho 112, Soho C112, Djembe 100, Djembe C100, Bohemia, Ginger XL 42, Jaima 71 pendant, Jaima 71 IP65 pendant, Jaima P207 and Jaima P307 floor lamps, as well as certain discontinued items of which Marset has stock remaining. This list is not conclusive, and new products may be added as they are introduced to our collection.
- All orders over \$5,000 net may have separate air and ocean freight charges quoted at time of order or deposit. Freight quotes are valid within the same month as the ESD provided for your order; exceptions may apply for orders with extended lead times.

Orders above \$5,000 whose physical volume does not meet the requirements for ocean freight may be shipped by air freight. Certain other exceptions to the above guidelines may apply.

Damaged products

Clients are required to inspect their shipment for damage or missing items within 48 hours of delivery. In case of any transport damage, the client must provide a photograph clearly showing damaged items and/or packaging. No exceptions for this requirement will be made for deliveries to jobsites or warehouses. Please make the claim with the delivery driver upon delivery if external damage to the box can be seen. In case of damage, Marset may provide a replacement for the damaged piece or pieces, or for the entire fixture, at our discretion.

Goods Return

Subject to official authorization and approval in writing by Marset, uninstalled product in perfect condition and in its original packaging may be returned within 15 days of receipt. Returned goods must contain the reference of the return authorization. Goods must be returned within 15 days of receipt. Once the goods have been received and inspected, if approved, a credit note of up to 80% of the invoice amount will be issued within 7 days, to be applied toward a future purchase. Marset does not issue refund payments.

Marset reserves the right to reject buyer's remorse returns of orders above \$5,000 net, excluding taxes and shipping, or orders of 10 items or more.

Warranty

Marset fixtures carry a 2-year warranty under normal use, valid from the date of invoice. All our fixtures display a code with the manufacturing date. Removal of the code will void the warranty. Our warranty liability includes the repair or replacement of the goods, excluding shades and light sources. The cost of installation and/or uninstalling the product and the transport fees are not included in this warranty, and are the sole responsibility of the client.

Any modification or alteration of the product by a third party, outside of those shown in official Marset installation instructions, will void the warranty, and may void the UL certification.

Payment

All orders under normal terms require pre-payment before production, and are not considered placed until full payment or requested deposit has been received. We accept payment via check, ACH, or wire transfer.

Orders over \$5,000 or containing ten (10) or more items may require 50% deposit (non-refundable after 48 hours) to begin production, regardless of client credit terms.

Orders cancelled more than 48 hours after placement may be reimbursed, at Marset's discretion, via credit memo, and will include a restocking fee.

The invoice maturity date cannot be altered and any delays will be subject to the relevant administrative and financing expenses. The due date of an invoice cannot be changed by the client in case of a commercial claim, except with written authorization of Marset. Purchased products remain the sole property of Marset until full payment of invoice. This remains in effect regardless of the solvency status of the purchasing company. If purchaser is unable to pay an invoice in full, all unpaid items must be returned to Marset in original working condition.

Credit Terms: Marset may agree to grant 30-day credit terms up to \$30,000 USD, for clients with whom Marset has a longstanding business relationship. Clients may be required to submit their financial information to Marset's insurer in order for terms to be granted.

For clients with credit terms, production on orders below \$5,000 USD will begin upon receipt of purchase order. Orders above \$5,000 USD or that contain custom items may require 50% deposit regardless of terms.

Marset reserves the right to immediately revoke credit terms for clients with a past-due invoice.

Special requests

All product customizations of any sort must be submitted beforehand and approved in writing by Marset. Marset reserves the right to request custom 2D/3D drawings of any modifications, and to refuse modifications for which drawings are not submitted. All sales of custom items will be considered final and no returns will be accepted. A non-refundable 50% deposit will be required to process custom orders.

Disclaimer

Marset reserves the right to modify any product in order to improve its characteristics, without prior notice. Marset is not responsible for any misuse or negligence by the client in the handling of the products that results in injury or worse on any persons and/or property.

Marset is not responsible for replacement of items that have been discontinued from Marset's catalogue, including spare or replacement parts for those items.

Placement of an order implies acceptance of this general sales agreement. All disputes will be subject to arbitration in New York (USA).

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist. For more information, you can find lighting data on our website.

Plan your projects in our Professional Area

Photometric Data

Press Releases




Banners

2D Models

3D Models


HR Images

Videos






Ø23.6"

10.9"



Ø3.9"



Ø9"

9.9ft

We want to offer you an exclusive service that's designed to make your work easier. By signing up at the new professional area at [marset.com](https://www.marset.com), you'll be able to download technical information, images, and videos of our products, receive our newsletter, and save your preferred products. We offer direct access and personal attention.



Factory & Headquarters

Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
F +34 934 601 089
info@marset.com

Barcelona Showroom

Santaló 56 interior
08021 Barcelona (Spain)
T +34 934 142 844
press@marset.com

Marset USA Inc.

20 West 22nd Street-Suite 903
New York, NY 10010
T +1 646 727 4250
F +1 646 304 6959
marsetusa@marset.com

Milan Showroom

Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it

Cologne Showroom

Design Post
Deutz-Mülheimer-Str. 22a
50679 Cologne (Germany)
T +49 221 69 06 50
info@marset.com

